



**PROSCURA**



**PRODUCT  
CATALOGUE  
2020**





<b>Contacts</b>	<b>3</b>
<b>Brands</b>	<b>4-5</b>
<b>Kits &amp; Packages</b>	<b>6-9</b>
<b>Regulators</b>	<b>10-18</b>
<b>Instruments</b>	<b>19-27</b>
<b>Gas Quality Certificate</b>	<b>28</b>
<b>BCDs</b>	<b>29-33</b>
<b>Thermal Protection</b>	<b>34-39</b>
<b>Rashvests</b>	<b>40-41</b>
<b>Boots &amp; Gloves</b>	<b>42</b>
<b>Fins</b>	<b>43-46</b>
<b>Masks &amp; Snorkels</b>	<b>47-51</b>
<b>Bags</b>	<b>52-53</b>
<b>Accessories</b>	<b>54-55</b>
<b>Tools &amp; Service</b>	<b>56-59</b>
<b>Compressors</b>	<b>60-65</b>
<b>Tanks &amp; Valves</b>	<b>67-68</b>
<b>Trade in</b>	<b>69-70</b>
<b>Programs</b>	<b>71-72</b>
<b>Servicing</b>	<b>73-76</b>
<b>Dive Centre Solutions</b>	<b>77-80</b>



## PROSCUBA MARINE TECHNOLOGY PVT. LTD.

Tel: +91 413 2357850  
+91 739 7774541  
Email: sales@proscuba.in  
Web: www.proscuba.in

Founders :	S.B. Aravind	Chief Executive Officer	aravind@proscuba.in
	Rob Partridge	Technical Director	rob@proscuba.in

### SALES

National Sales Manager :	Akhil Jude	akhil@proscuba.in
--------------------------	------------	-------------------

### OPERATIONS

Technical Director :	Rob Partridge	rob@proscuba.in
Marketing Manager :	Shubha Dakshinamurthy	exec@proscuba.in
Defence & Government Supplies:	Donarun Das	das@proscuba.in
Accounts :		accounts@proscuba.in
National Technical Support :		tech@proscuba.in
Shipping:		shipping@proscuba.in







SCUBAPRO is the world's most iconic brand of dive equipment, built by and for those whose passion is found below the water's surface. Founded in 1963 by Gustav Dalla Valle and Dick Bonin, SCUBAPRO remains the industry's gold standard for innovation, performance, reliability and durability. The company's products blend advanced technologies with intuitive, sophisticated designs, allowing divers to focus on their dive experience, not their gear. For the hobbyist to the professional, SCUBAPRO's portfolio features industry-leading regulators, dive computers, BCDs and thermal protection, along with a full line of scuba masks, fins, snorkels, gear bags, scuba accessories and divewear.

Founded in 1946, the BAUER GROUP has grown to be a prominent, active corporate group known for its reliable top-of-the-range compressors. Since the '50s, the increased market inter-dependency has seen BAUER forging a closer international alliance by setting up foreign subsidiaries – and continues to do so today – giving rise to a comprehensive global sales and servicing network.

**BAUER**  
**KOMPRESSOREN**

**Quality. Our DNA**

**SHARKSKIN™**  
technical watersports protection

warm during and after a dive. The range started with a core selection of dive specific products and rapidly expanded into all water sports categories with the help of a passionate and dedicated team of administrators and designers and an amazing collection of global ambassadors. The Sharkskin range of products can now be found in most of the major markets around the world.

The Sharkskin brand [originally 'Adventure Extreme'] was founded in Australia by the owners of Neptune-Sports to address the need for divers to stay

xDeep are one of the youngest manufacturers that we deal with founded in 1998 in Poland with their first line of BCDs launched in 2010. It all started with the Zeos and the Hydros and a year later the Stealth became the worlds first CE certified sidemount system.

Everything xDeep manufacture has an incredibly high attention to details, procedures and materials. Their range of BCDs and equipment is made to grow and change with you as you advance through your diving career and adapt your diving to your needs. Because of this most parts are modular and one size fits most so you can adjust straps, move D-Ring, add pouches, change wings as much as you like so you'll never have to buy another harness again.

**xDEEP**





Since 1995 TEMC® designs and manufactures in Italy the DE-OX® digital measurement instruments. TEMC® is involved in diving, industrial, medical and military field. TEMC® is the Italian leader for production, planning and diving with mix gas like NITROX, TRIMIX and HELIOX.

TEMC® was founded in Milan by two expert divers, with valuable skills in measurement and electronics. TEMC®'s mission is to design and develop the most up to date measurement instruments with the latest technology available.

Ratio is a small Italian company that manufactures a range of incredible dive computers with some very unique features for recreational and technical divers. Being a smaller manufacturer they are able to adapt and experiment much more easily and quickly compared to the main brands who have to go through lengthy R&D and sign off procedures so they are able to bring new technologies to the market much more quickly.



**PANDORA-LAB**

Pandora is the most common, travel tool for regulator maintenance.

Easy to use in case of emergency.

Must be available in any situation.

Lightweight, easy to carry and convenient.

Luxfer is the world's largest manufacturer of high-pressure aluminum and composite gas cylinders for a wide and growing variety of applications - such as life support, alternative fuel, medical, industrial, beverage, fire extinguishers, aerospace, inflation, scuba and performance racing.

Luxfer operates facilities in the United States, the UK, France, Canada, China and India. And with more than 50 million Luxfer cylinders in service we pride ourselves on an exemplary record for dependable service and safety.



# SCUBAPRO SCHOOL KITS

## Basic School Kit

Package
SCUBAPRO MK2 / R095 / R095 Octopus / Console 2 / T-one BCD



R095 Octopus



R095



Console 2



MK2 EVO



T-One

## Complete School Kit

Package
SCUBAPRO MK2 / R095 / R095 Octopus / Console 2 / T-one BCD / Go Fins / Mask / Oneflex Shorty

Pre-configured sets to be used for your dive center. Choose either a Basic School Kit or go for a Complete Kit to serve as a 'buy and dive' package.



Mask



Go Fins



Eco Wetsuit



# DISCOVER SCUBA DIVING KITS

## Basic DSD Kit

Package
SCUBAPRO MK2 / R095 / R095 Octopus / PG Console / T-one BCD



R095



PG Console

MK2 EVO



R095 Octopus



T-One

## Complete DSD Kit

Package
SCUBAPRO MK2 / R095 / R095 Octopus / PG Console / T-one BCD / Go Fins / Mask / Oneflex Shorty

Pre-configured kits to be used for Discover Scuba Divers. Choose either a Basic DSD Kit or go for a Complete Kit.



Mask



Go Fins



Eco Wetsuit

# REGULATOR SETS



MK2 EVO



R095



PG Console

## Basic Regulator Set

Package
SCUBAPRO MK2 / R095
SCUBAPRO MK2 / R095 / PG Console

## SCUBAPRO Regulator Set

Package
SCUBAPRO MK2 / R095 / R095 Octopus / PG Console



R095 Octopus



MK2 EVO



R095



PG Console



Console 2



R095



MK2 EVO



LP Quick Disconnect

## Complete SCUBAPRO Regulator Set

Package
SCUBAPRO MK2 / R095 / R095 Octopus / Console 2 / LP QD



R095 Octopus



# COMPLETE SCUBA PACKAGES

## Package A

Seahawk 2, Mk25/S600, R195 octopus, PG console, M2 computer, Thermal Tec 3mm, Synnergy Twin, Spectra Snorkel, Seawing Nova, Delta Club



## Package B

Level, Mk11/C370, R195 octopus, PG console, A1 computer, Sport Long 3mm, Solo, Escape Snorkel, Seawing Nova, Delta Club Boots



## Package C

T one, Mk2/R095, R095 octopus, PG console, Aladin One computer, Eco Shorty, Zoom Evo, Apnea Snorkel, Sport Fin, Delta Short Boots



# MK25 EVO / S600 IS THE GOLD STANDARD IN REGULATORS

Combining SCUBAPRO's best-selling second stage and its top-performing first stage is a match made in diver heaven. The MK25 EVO offers excellent resistance to freezing, superb inhalation sensitivity and instant delivery of air on demand. The S600, with its rugged fiberglass casing and stainless steel front face and ring, provides a steady, effortless flow of air, regardless of depth. In all water temperatures, in the most demanding dive conditions, this reg system performs flawlessly.

## First Stage

- Air balanced flow-through piston in a chrome-plated brass body provides constant and effortless airflow unaffected by depth, tank pressure, or breathing rate.
- Patent pending XTIS [Extended thermal Insulating system] fully insulates the inner mechanism from the environment, improving cold-water resistance by 30% and delaying ice formation in extreme cold-water conditions without compromising breathing performance. Key insulation system components are visible in blue.
- New spring insulating coating, body insulating bushing, anti-freeze cap, bigger body and cap thread all work in concert with the XTIS to improve cold-water performance.
- Anti-freeze protection radically increases breathing reliability when diving in the most extreme water temperatures.
- Two opposing high pressure ports allow the first stage to be positioned either up or down.
- Five high-flow low pressure ports on a swivel turret maximize hose routing options.
- External intermediate pressure adjustment enables technicians to fine-tune performance quickly and easily.
- Available in a 232bar INT and 300bar DIN configuration.
- Weight: INT 232: 790g; DIN 300: 572g.
- Airflow at 200bar: [l/min]: >8500.
- Intermediate pressure [bar]: 9.0-9.8.

## Second Stage

- Air-balanced valve smoothes out the inhalation effort when diving at varying depths and supply pressures.
- Metal valve housing is able to withstand years of aggressive diving.
- User controls include a diver-adjustable inhalation effort knob and Venturi-Initiated Vacuum Assist [VIVA] dive/pre-dive switch.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Ultra-comfortable orthodontic mouthpiece is easy to grip yet doesn't inhibit airflow.
- Weight [without mouthpiece]: 200g.
- Airflow at 200bar: 1850 l/min.
- Maximum low pressure: 14bar.
- Changeable purge covers allow you to make your regulator truly unique.
- Limited Lifetime Warranty

Part Number: 12.971.050

**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM





## D420 2ND STAGE WITH MK25 EVO / MK 19 EVO new

Combining the iconic design of the original D-Series regulators with the latest advances in breathing performance technology, SCUBAPRO engineers have created a 21st century regulator in terms of quality, reliability, performance and style. The new D420 features a brand new balanced valve inside a housing supported by a full metal structure. Called the Progressive Flow Control Valve, it is able to deliver abundant airflow for the best breathing performance, with a natural smoothness comparable to what you might experience breathing on the surface. The uniquely shaped fiberglass-reinforced nylon casing is ultra-durable and allows the LP hose to be connected on either the right or left side for maximum rigging flexibility. A new dive/pre-dive system includes a switch on the top of the casing with a thumb tab for adjusting the direction of airflow right out of the valve. The highly efficient purge button is a technical jewel based on a new concept that gives the D420 its unique face. Teamed with the venerable MK25 EVO balanced piston first stage, this is a regulator system purpose-designed for today's avid divers and SCUBAPRO brand enthusiasts everywhere.

### D420 Second Stage

- NEW. Uniquely shaped fiberglass-reinforced nylon casing carries on the D-Series heritage with the latest advances in breathing performance technology.
- NEW. Air-balanced Progressive Flow Control Valve is able to deliver abundant airflow with a natural smoothness comparable to breathing on the surface.
- NEW dive/pre-dive system includes a switch on the top of the case with a thumb tab for adjusting the direction of airflow right out of the valve.
- NEW casing design features inner winglets that direct airflow towards the exhaust valve, creating a dramatic improvement in exhalation effort.
- NEW. Diaphragm is located in the lower section of the casing to take advantage of the pressure gradient in the upright position, making breathing even easier.
- Reversible hose attachment allows for either left- or right-side LP hose connections for maximum rigging flexibility.
- Large purge button is easy to reach and depress, with or without gloves.
- Exhaust tee is compact and efficiently deflects bubbles from the diver's view while enhancing ease of exhalation.
- Super-flow hose features an oversized bore that allows more air to flow on each inhalation.
- Compact Hi-Flow mouthpiece improves airflow as well as mouth comfort, fitting all mouth sizes, from largest to smallest.
- CE certified according to the latest EN250A European Standards for all diving conditions, including extreme cold water.
- Weight [without mouthpiece]: 216g.
- Airflow at 200bar: 1800 l/min.



**XTIS**  
EXTENDED THERMAL  
INSULATING SYSTEM



## MK25 EVO/A700

This always-impressive system can be counted on for steady, effortless airflow and exceptional cold-water protection with its patented Extended Thermal Insulating System [XTIS] technology.

Part Number: 12.770.040



## MK25 EVO/S620 TI new

SCUBAPRO's premium high performance piston first stage and its new state-of-the-art second stage, designed with titanium components, create an incredibly reliable reg system that offers excellent resistance to freezing, superb inhalation sensitivity and an instant delivery of air, in all water temperatures, depths and dive conditions.

Part Number: 12.620.000

## MK25 EVO T/S620 X-TI new

SCUBAPRO's top regulator technology is on display in this ultra-light, corrosion-resistant reg system. The first stage is machined from a solid block of titanium, and the newly designed high-flow S620 X-Ti features a full titanium inlet tube. The S620 X-Ti's work of breathing has been reduced 37% over the S600, due in part to a new high-flow exhaust tee, resulting in a system that delivers effortless airflow under all dive conditions.

Part Number: 12.620.400



## AIR2 5TH GENERATION

This fifth-generation octo/inflator is both versatile and easy to use. As a backup regulator in high-stress situations, the AIR2 breathes like a dream, rivaling some second stage models. It is CE-certified for waters 10-degree Celsius or warmer. The large, flexible purge button provides quick clearing when it counts. Divers can also enjoy pinpoint buoyancy control with the AIR2. Its large inflate and deflate buttons are easy to distinguish, and the device fits comfortably in hand. For reliable performance without dangling hoses, the AIR2 is a standout.

Part Number: 21.090.000





## MK25 EVO/G260

Aimed at technical divers, this system can face any dive situation—including extreme cold-water conditions—with rock-solid performance and outstanding reliability.

Part Number: 12.252.030



## MK17 EVO /S600

The ideal system for tech divers and cave explorers. New environmentally sealed first stage is designed for cold waters and less-than-pristine dive conditions.

Part Number: 12.927.050

## MK21/S560

This reg system is full of features. The compact piston first stage is lightweight, delivers excellent airflow and offers an optional head attachment for multiple hose orientations. The S560 second stage is lightweight too, and easy to use. An excellent choice for divers of all skill levels.

Part Number: 12.974.000



## MK11/C370

A first stage specially designed to reduce size and weight, plus SCUBAPRO's most compact second stage, make for an excellent travel regulator system. A smooth breathing and reliable mid-range breather.

Part Number: 12.175.000



### MK2 EVO/R195

Featuring a totally evolved classic downstream piston first stage, this workhorse reg delivers impressive breathing sensitivity with steady airflow, plus offers excellent cold-water resistance.

Part Number: 12.118.000

### MK2 EVO/R095

It's the perfect go-anywhere reg for both new divers and veterans who like to keep their diving simple and fun.

Part Number: 12.096.000



### R195 OCTO

Combines the features of the R195 with a high-visibility yellow cover and a 39-inch yellow reversible hose for easy sharing.

Part Number: 11.331.200

### R095 OCTO

Preset inhalation and VIVA for hassle-free air delivery. 39-inch yellow reversible hose for easy sharing.

Part Number: 11.330.400



# PROSCUBA 2020

## FIRST STAGES



No.	Part number	Part name
1 a	10.713.010	MK 25 Evo
1 b	10.713.030	MK 25 Evo DIN
2 a	10.721.000	MK 21
2 b	10.721.300	MK 21 DIN
3 a	10.714.010	MK 17 Evo
3 b	10.714.030	MK 17 Evo DIN
4 a	10.708.000	MK 11
4 b	10.708.300	MK 11 DIN
5 a	10.063.000	MK 2 Evo
5 b	10.063.300	Mk 2 Evo DIN



## SECOND STAGES



No.	Part number	Part name
1	11.700.000	A700
2	11.620.000	S600 Ti
3	11.603.000	S600
4		D420
4	11.560.000	S560
5	11.370.000	C370
6	11.263.000	G260
7	11.331.000	R195
9	11.330.600	R095





## SIDEMOUNT REGULATOR SET - MK25 EVO / G260 new

Part Number: 12.252.060

Offering effortless air delivery and outstanding reliability, this is the go-to air delivery system for cold water or technical diving. There's no better example of solid first stage performance in all water temperatures than the MK25 EVO. Teamed with the venerable G260, this system can be relied upon to deliver top-of-the-line performance in the most extreme conditions.

### KIT CONTAINS:

- Two MK25 EVO DIN 300 [10.713.030]
- Two G260 [11.263.000]
- Two Compact Guages [28.039.302P]

### PLUS

- Two HP hose 20cm [01.044.008]
- LP hoses: 20cm [x2] [01.309.020], 64cm [x1] [01.310.026], 200cm [x1] [01.309.080]
- BPI quick coupling x 2 [21.626.013]
- LP hose elbow x 1 [11.101.003]
- Regulator Necklace x 1 [01.010.000]
- Plug x 2 [11.263.110]



## ACCESSORIES



No.	Part number	Part name	Description
1		Scuba YOKE Adaptor	DIN to YOKE
2	10.045.030	DIN Conversion	YOKE to DIN - Universal
3	11.101.003	60 degree Elbow connector	LP 2nd stage
4	01.040.025	Mouthpiece clip	Reuseable
5	01.040.131	Vinyl Mouthpiece	Mouthpiece Vinyl Black
6	01.040.121	Junior Mouthpiece Clear	Small Silicone
7	01.040.120	Mouthpiece Super Comfort	Silicone
8	01.097.134	Octopus Retainer	Lime
9	10.101.211	Dust Cap	DIN / YOKE
10	11.700.010	Hose Protector Black	LP - 1st stage side



# REGULATOR COMBOS

## FIRST STAGE

### Air-Balanced Piston:

Ultra-fast breathing response regardless of pressure or depth.

### Balanced Diaphragm:

Keeps water out while delivering air promptly at all tank pressures.

### Classic Downstream Piston:

Reliable performance with minimal maintenance.

### XTIS

### Full Titanium Body

### Dry Chamber

### Low Pressure Ports [HFP\*]

### High Pressure Ports

### Swivel Ports

### Externally Adjustable Intermediate Pressure

### Optional 5 HFP Cap

## SECOND STAGE

### Air-Balanced Valve:

Ultra-high airflow that remains stable under all conditions.

### Optimal Flow Design:

Special barrel and poppet design to optimize airflow.

### Classic Downstream:

Simple operation with rugged, reliable performance.

### Titanium Valve Housing

### Metal Valve Housing

### Metal Components

### Adjustable Inhalation Effort

### Coaxial Adjustable VIVA

### Adjustable VIVA

### Large Diaphragm

### Flow-Engineered Hi-Performance Exhaust Tee

### Super Comfort High-Flow Mouthpiece

### Compact Hi-Flow Mouthpiece

### Reversible Hose Attachment

### Optional Color-Match Diaphragm Covers

### Optional Color-Match Mouthpiece & Hose Protector

## A-SERIES



MK25 EVO/  
A700 CARBON BT



MK25 EVO/A700



MK17 EVO/A700

•	•	
		•
•	•	
5 HFP	5 HFP	4 HFP
2	2	2
•	•	
•	•	
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•

## S-SERIES



MK25T EVO/S620 X-Ti










MK25 EVO/S620 Ti



MK25 EVO/S600

•	•	•
•	•	•
•		
5 HFP	5 HFP	5 HFP
2	2	2
•	•	•
•	•	•
•	•	
•	•	
•	•	
•	•	•
•	•	•
•	•	•
•	•	
•	•	
		•
•	•	•

\*HFP = High Flow Port providing 15% higher airflow than standard low pressure ports.

			G-SERIES		C-SERIES	R-SERIES
						
MK21/S560	MK17 EVO/ S620 Ti	MK17 EVO/ S600	MK25 EVO/ G260 BT	MK25 EVO/G260	MK11/C350	MK2 EVO/R195
•			•	•		
	•	•			•	
						•
			•	•		•
	•	•				
4 HFP	4 HFP	4 HFP	5 HFP	5 HFP	4 HFP	4
2	2	2	2	2	2	1
•			•	•		
•					•	
•						
•	•	•	•	•		
					•	
	•					•
		•	•	•		•
	•	•	•	•	•	
•	•	•	•	•		•
			•	•	•	•
•	•	•	•	•		•
•		•	•	•	•	•
	•					
			•	•		•
		•				
•	•	•	•	•	•	•



# THE GALILEO HUD new

IN-SIGHT. HEADS-UP. MASK-MOUNTED.

Part Number: 05.110.101

## EXPERIENCE THE FUTURE OF DIVE COMPUTER TECHNOLOGY – RIGHT BEFORE YOUR EYES.

There's never been anything like it. The new Galileo HUD is a massive leap forward in computer diving that will forever change the way you dive.

This new-to-the-dive-world, technologically-advanced computer offers a heads-up display that is mounted on a diving mask. Delivering excellent readability along with hands-free data monitoring, with the introduction of the Galileo HUD, SCUBAPRO engineers have created a user experience unlike anything previously seen in diving.

### "FLOATING" DISPLAY

Using precision near-eye optics, this "floating" display creates a micro OLED screen image with superior readability that appears at a virtual distance of approximately 3ft/1m. This allows you to keep your eyes on both your dive data and the underwater scenery at the same time, without needing to refocus.

### HANDS-FREE DATA MONITORING

Super-convenient for photographers and tech divers. Also, since you don't have to raise an arm or reach for a console to check your dive data, the lightweight (neutrally-buoyant) HUD allows you to maintain a more streamlined profile moving through the water.

### SINGLE-KNOB USER CONTROL

When it comes time to change screens or make adjustments, an intuitive push-wheel allows you to access functions with one hand. Simply rotate it to navigate up and down within a menu, or increase or decrease a user setting.

### FLIP-UP HINGE

Enables you to tilt the HUD display up and out of the way when not needed. When it's time to resume data monitoring, simply tilt the display back down into position and you're ready to track your dive.

### AIR INTEGRATION

Easily monitor tank pressure with wireless communication between computer and tank.

### NAVIGATION

Find your way topside with an integrated GPS or under water with a full-tilt compass.



Standard Dive Display





A1

new



Part Number: 05.064.101

The new A1 is a single gas nitrox dive computer designed for new divers and casual recreational divers looking for a simple yet versatile wrist-style computer that can be worn on the surface as well as under water. The A1 offers full time-keeping functions, and three Dive modes plus a Sport mode. An intuitive menu system and clearly marked button controls make it easy to access and understand all functions. Offering just the right balance of topside features, underwater functions and ease of use, the A1 will quickly become an integral part of not just your diving life, but of your everyday life as well.

A2

new

The new A2 is designed for advanced divers and technical divers who appreciate the compactness and convenience of a wrist-style dive computer, but demand the kind of features and functions that enable them to excel in their sport. For daily topside use the A2 offers full timekeeping functions and a Sport mode. When it's time to go diving, the A2 offers everything an advanced recreational diver wants, and everything a technical diver needs. It starts with wireless air integration that monitors tank pressure and provides true remaining bottom time. The digital tilt-compensated compass provides easy navigation under water or on the surface. The A2 lets you choose from six Dive modes, including Trimix and CCR, and because it's designed with Human Factor Diving™, it incorporates cutting edge biometrics that enable you to live your life in dive mode. Whatever type of diving you do, the A2 is ready to go there with you.

Part Number: 05.064.201



## HARNESS THE POWER OF THE SUN

Z1

new

Part Number: 27.300.xxx

Freediving, Scuba and Gauge modes, and the ability to accommodate four gases, it goes where you go.

### POWERED BY THE SUN

When exposed to any type of light, the Z1's internal battery is charging. No more charging cords or electrical outlets; no more battery disposal.

### PERFECT FOR TRAVELING

Imagine where you can go without the need to recharge.

### VERSATILE & DURABLE

A full-featured watch and an easy-to-use computer. Its lightweight construction is a hybrid of stainless steel and polyacrylate resin.



# MANTIS

## KEY FEATURES

- Deco, Gauge, Freediving and CCR dive modes
- Fixed PP02 CCR algorithm for closed circuit rebreather diving
- Predictive Multi-Gas algorithm for nitrox diving
- Chronograph with lap memory
- Swim mode that memorizes swim time and strokes (converts to distance)
- Heart rate monitor with optional SCUBAPRO HRM belt
- Marine-grade 316L stainless steel casing and two-toned brushed finish
- Hoseless gas integration gives tank pressure and true remaining bottom time (M2 only)
- Digital tilt-compensated onboard compass allows for easy navigation under water or on the surface (M2 only)
- LogTRAK software available for PC/Mac and Android
- Maximum depth rate: 120m



SHOWN WITH OPTIONAL METAL BAND, NOT INCLUDED

Variant	Part Number
without Tank Transmitter and HRM	05.063.101
with Tank Transmitter and HRM	05.063.100
Metal Wrist Strap	05.063.005

SHOWN WITH OPTIONAL COLOR BANDS  
BANDS WORK WITH BOTH THE M2 AND CHROMIS



## MANTIS 2 (M2)

The M2 is a dive computer like no other. Developed using SCUBAPRO's Human Factor Diving™ approach to product design, the M2 offers everything you expect from the leader in diving equipment. Its stylish, brushed stainless steel casing is loaded with topside features and advanced underwater functions, including air integration and electronic navigation. But most importantly, the M2 incorporates cutting-edge biometrics that enable you to live your life in dive mode.



## MANTIS 1 BLACK

Black Tech version. PVD [Physical Vapor Deposition] scratch-resistant coating and a stealth finish.

Part Number: 05.062.200

## MANTIS 1 (M1)

A precision blend of sophisticated computer and beautiful timepiece, the M1 is designed for divers who crave the cutting-edge technology of the M2 but don't need air integration or an on-board digital compass. Incorporating SCUBAPRO's Human Factor Diving™, the M1 provides detailed personalized data through the use of biometrics. Offering just the right balance of topside features and underwater functions, you can count on the M1 for industrial-strength reliability that lasts.

Part Number: 05.062.100





# GALILEO


## KEY FEATURES

- Intuitive menu structure, simple 3-button control system and diver-friendly functions.
- Vibrant full-color TFT [Thin-Film Transistor] dot matrix LCD display [320x240p].
- Choice of Light, Classic, Full and Graphical display configurations.
- Customizable menu listings – use as much or as little as you need – your choice.
- Predictive Multi-Gas ZHL-16 ADT MB algorithm programs up to 8 nitrox/trimix mixes.
- Algorithm offers Microbubble levels and Profile-Dependent Intermediate Stops.
- Air integration monitors tank pressure plus provides true remaining bottom time [RBT].
- Integrated heart rate monitor measures heartbeat and skin temperature and incorporates both into the workload calculations. [Exclusive to SCUBAPRO.]
- Full-tilt digital compass includes a full - or half-compass rose and bearing memory.
- Rechargeable battery provides up to 50 hours of dive time per charge.
- USB cable or Bluetooth Low Energy interface for phone, handheld device or PC/Mac.
- Maximum operating depth: 120m

## G2



The G2 is the ultimate computer for divers of all skill levels, from beginner to tech diver. A vibrant color display and powerful new features, all in an intuitive package full of options that let you use as much or as little of the technology as you want. With hoseless air integration, heart rate monitoring and an advanced algorithm that incorporates your personal biometrics into its calculations, the G2 is ready for everything – from scuba and freediving to CCR, trimix and sidemount – and it is designed to go wherever your passion for diving takes you.




**CLASSIC  
WITH WARNING**



**COMPASS**



**FULL**



**GRAPHICAL**

### Variant

### Part Number

without Tank Transmitter and HRM	05.080.101
with Tank Transmitter and HRM	05.080.100



## G2 CONSOLE



For divers who prefer a console-style computer we offer the G2 Console. Featuring a cell-phone-style, portrait-oriented screen and optional heart rate monitoring, the G2 Console shares virtually all the user-friendly and high-tech features of the wrist-mount G2. Its air-integrated system includes a quick-disconnect fitting that enables you to separate the dive computer from the high-pressure hose for easy post-dive data downloading, traveling, and safe storage. Dive modes: scuba, gauge and trimix.

Part Number: 05.081.111



**CLASSIC**



**GRAPHICAL  
WITH WARNING**



**LIGHT**



**COMPASS**



# ALADIN

For 30 years Aladin dive computers have been providing discerning divers of all skill levels with a range of computing choices, in a variety of configurations, to suit virtually any dive scenario. This year's SCUBAPRO Aladin [Matrix] series takes it to a whole new level, with air integration, a digital compass and Bluetooth® technology. Offering high-end features in a highly affordable dive computer, whether you're an experienced technical diver or a beginning recreational diver, there's a SCUBAPRO Aladin [Matrix] dive computer for you.



## ALADIN ONE MX

SCUBAPRO's dependable single-gas dive computer has just gotten better. Upgraded with a host of new features and functions – from a new algorithm to an upgraded screen to Bluetooth compatibility, the updated Aladin ONE Matrix is ready to hit the water.

The most obvious improvement is the Aladin ONE Matrix's new LCD display that includes an eye-pleasing dot matrix section. Other upgrades include the replacement of the previous ZH-L8 algorithm with SCUBAPRO's time-proven 16 tissue compartment ZH-L16 ADT.

Part Number: 05.045.110

## ALADIN SPORT (MATRIX)

Perfect for recreational divers who appreciate a dive computer with a variety of modern features that enable them to evolve in their sport, as well as for technical divers looking for multi-gas capability.



Digital compass and Bluetooth® Low Energy technology compatible with LogTRAK for Android and IOS.

Part Number: 05.046.110



## SCUBAPRO ALADIN H QR (MATRIX)

A sharp-looking full-featured dive computer targeted to avid recreational divers looking for a convenient air-integrated DC. Algorithm calculates remaining bottom time [RBT] and estimates workload based on breathing rate.



Digital compass and Bluetooth® Low Energy technology compatible with LogTRAK for Android and IOS.

WITH QUICK RELEASE HOSE CONNECT

Part Number: 05.047.110

## PROSCUBA 2020

RATIO®, with the quality of its products, always stands by you to guarantee comfort, leisure and safety when diving.

The RATIO® computer is extremely innovative, with a software allowing you to carry out both recreational and technical dives. The RATIO® iX3M computer includes decompressive algorithms supporting, according to the different models, Air Nitrox (iX3M Easy), Normoxic Trimix dives (iX3M DEEP), Trimix and CCR (iX3M TECH + and iX3M REB) and its processor calculates in real time your dive's specific deco profile

[iX3M PRO Dive Computer](#)



### SCUBAPRO LED & SMART+ TRANSMITTER

Convenient and safe, a SCUBAPRO transmitter allows you to read tank pressure and true remaining bottom time (RBT) on the computer screen.

Compatible with Scubapro G2, Galileo Sol, Galileo Luna and Mantis M2 personal dive computers.

[Part Number: 05.055.030](#)



**AIR INTEGRATION  
WITH HUD (RATIO)**  
[Part Number: RC-AC004](#)

### RATIO TANK TRANSMITTER

[Part Number: RC-AC001](#)



### OXYGEN ANALYSER



[Part Number: RC-AC002](#)

The World's first computer with Oxygen Analyser Integration. Using its sensors the iX3M will check the correct calibration and the atmospheric conditions to make a perfect analysis of the Oxygen % inside the tank.





### DIGITAL 330M

Electronic data delivery system provides actual and maximum depth, ascent speed, dive time and temperature. Rated to 330m.

Part Number: 05.014.110



### 3-GAUGE IN-LINE CONSOLE

Pressure and depth gauges with 26-degree-tilt FS-1.5 compass.

Part Number: 05.011.714



### 2-GAUGE CONSOLE

U-Line or In-Line. Compact plastic or metal-case pressure gauge and choice of compact or standard depth gauge.

Part Number: 05.012.210



### DEPTH GAUGE, WRIST MOUNT

Oil-filled Bourdon tube design in an impact-resistant nylon case.

Part Number: 05.011.111



### COMPASS

FS-1.5 calibrated to the Northern hemisphere.

Part Number: 05-018-101

### PRESSURE GAUGES

Compact metal or plastic-case, reading psi, bar or both.

Variant	Part Number
STANDARD Brass Pressure Gauge, HP 80	28.075.000
STANDARD PG w Hose/Rubber cover, 0o , BAR	05.023.112
PG Capsule BAR, DIAM 63mm, white without Rubber cover / hose	28.163.202
STANDARD Brass Pressure Gauge capsule, HP 80	28.075.002P



# PROSCUBA 2020

## DE-OX SUB MULTIGAS COLOR DIGITAL ANALYZER

Part Number: PS-DEOX-53

DE-OX® SUB is a general purpose measurement instrument able to be connected to a large number of sensors in any combination of them. Its application includes continuous ambient gas monitoring, hyperbaric chambers, safety, medical, air quality etc. Standard available configurations include:

Oxygen  
Helium  
Carbon Dioxide  
Carbon Monoxide  
Humidity  
Gas temperature  
Pressure



### Main Features

Fully digital analyzer with color display.

Oxygen percentage indication in the mix within 0,0 to 100%. Resolution 0,1%. Long life electrochemical sensor.

Helium indication in any Oxygen-Nitrogen mix in the range 0.0 – 100.0% of volume with 0,1 % resolution. Thermal conductivity stainless steel helium sensor developed for marine sport ambient.

Large range of Carbon dioxide gas concentration (from 0-500ppm 0-0.05% to 0-100%). Resolution 20 ppm

Carbon Dioxide NDIR (Non Dispersive Infra Red) sensor

Carbon monoxide concentration 0-50 ppm or 0-300 ppm; resolution 1 ppm. Long life electrochemical sensor.

Moisture reading of RH from 0,0 to 99,9% and absolute humidity in mg/m3 or PPMv. New capacitive technology sensor. Available dew point sensor up to -110°C

Gas flow temperature within -20 to +80°C.

Sensors status indication.

Heavy duty waterproof Explorer case and internal aluminum panel.

Independent audible and visible alarms for any sensor.

Standard case Dimensions: 305x270x144 cm Weight 2 Kg

Input voltage requirement: 10-35 Vdc

Internal battery Lithium ions rechargeable battery. One cell 1400 mAh Li-ion 3.7 V

Input: Up to 6 sensor input

Output: On board acoustic buzzer alarm 2 electrical supply for externalsensors or transducers

Serial connection: 1 RS232 interface. Baud rate up to 115000 baud, on request RS485 interface

Conversion rate: 10 ms

Sampling time: 100 ms [min] for each channel

Signal measurement accuracy: 0.1% Full Scale +/- 1/2 LSB

Input device: Rotary knob withy central push



## DE-OX SUB MULTIGAS COLOR DIGITAL ANALYZER WITH DEW POINT SENSOR

Part Number: PS-DEOX-55

If an extra accuracy is required, it is possible to connect an external thin-film aluminum oxide moisture sensor for detection of humidity up to -110°C dew point [0.001 mg/m3 or 0.001 ppmV]. In this configuration the instrument gives also absolute humidity and PPMV at 21.1°C (70°F) and 1 atm.





## DE-OX SUN DIGITAL HELIUM ANALYZER

Part Number: PS-DEOX-19

DE-OX® SUN represents the simplest and up-to-date measurement instrument for the analysis of helium into mixed gas. Unique features include two audible alarms (minimum and maximum), standard analog 4-20 mA and Open Collector outputs.

heliumDE-OX® SUN has been especially designed and manufactured for the analysis of binary and ternary gas mix like Heliox and Trimix.

DE-OX® SUN comprises in just one integrate device the helium sensor, the electronic board and the battery. The instrument does not need any calibration.

DE-OX® SUN can be used for continuously reading during mixed gas filling. It can alert and help in switching off the compressor if the helium value goes out the set alarms range [for instance 45% helium].

DE-OX® SUN is based on an innovative sensor developed by TEMC® for respiratory use and for monitoring the respiratory parameters in saturation dives.



## DE-OX ZIP OXYGEN ANALYZER

Part Number: PS-DEOX-17

### THE SIMPLEST OXYGEN ANALYZER

DE-OX® ZIP is the simplest oxygen analyzer available on the market because of its simplicity and its technology.

Unique features consist of a unique device that integrates in an innovative and useful cover, the oxygen sensor, the battery and the electronics.

DE-OX® ZIP is the choice for users that need reliability, accuracy and the greatest simplicity in computing and analyzing binary and ternary gas mixtures, like Nitrox, Heliox and Trimix.

DE-OX® ZIP is the simplest version of the famous DE-OX® at a very competitive price.

## DE-OX SAFE CARBON MONOXIDE ANALYZER

Part Number: PS-DEOX-16

DE-OX® SAFE is able to analyze before diving the carbon monoxide [CO] content in every breathable gas mix, including air, or to be connected to a gas compressor for continuous reading.

Carbon monoxide is a colourless and odourless toxic gas, that could be yielded from engine exhalation or from bad maintained compressor filters. If breathed it bonds with blood haemoglobin affecting the oxygen transport to the body tissues. Carbon Monoxide poisoning is extremely dangerous, could be only treated with immediate medical cares and could even lead to death.

DE-OX® SAFE assures safe diving also with air. It is really easy to use and allow the user to personally check if gas mix or air is carbon monoxide free. Really esDE-OX SAFE smallsential for diving centre for checking the compressor air inlet, and for divers during abroad dive trips.





## Air Quality Test Certificate



Test Certificate No : Proscuba/AQT/202x/xxx

Date : dd-mm-yyyy

Customer : Scuba Diving India

Breathing Air Compressor details :  
Make: BAUER KOMPRESSOREN  
Model: 1x IE250, SECURUS system

Details of Sample : Breathing Air Test sample taken directly from  
200 Bar outlet of above compressor

Measuring Equipment's : Aerotest Simultant HP (Sr No: 6665-1 2-353-  
8016-Gas Detektor) Flow & Pr. Regulator:  
ARCL-9077 (6525927)

Expiry date of Test Tubes : dd-mm-yyyy

Measurement Method : Directly from 200 Bar outlet of compressor

### Test Results:

Parameter	Measured Value	Threshold value as per Breathing Air Standard EN12021	Result
CO	< 5 PPM	< 15 PPM	Within standards
CO <sub>2</sub>	< 50 PPM	< 500 PPM	Within standards
Oil Vapour	< 0.1 mg/m <sup>3</sup>	< 0.5 mg/m <sup>3</sup>	Within standards
Water Vapour	< 5 mg/m <sup>3</sup>	< 25 mg/m <sup>3</sup>	Within standards

\*This is to certify that the Air quality complies with Breathing Air International standard EN12021.

Certificate is valid for 6 months from the date of issue.

Date: dd-mm-yyyy

Proscuba,  
Pondicherry, India

\* The quality of breathing air from the equipment being used  
will depend on replacement of purification intervals specified  
in BAUER Compressor manual

+91 413 2357850



sales@proscuba.in | www.proscuba.in



No: 1/117, Auroville Main Road, Bharathi Nagar,  
Kuilapalayam, Kottakuppam Post, Pondicherry 605104







## HYDROS PRO

travel friendly

A true breakthrough in design, dive comfort and convenience, our premiere back flotation BC, made with moldable Monprene®, is built for anyone who loves to dive. The HYDROS PRO is the most feature-rich, the most customizable and the most comfortable BC ever. Its 2-BCs-in-1 design makes it the perfect BC for any destination and any dive. In Men and Womens sizes.

Part Number: 21-731-123

Accessories	Part Number
Hydros Colour Kit (Black, Blue, Orange, Yellow, White, Pink, Purple)	21.745.123
Hydros Cargo Thigh Pocket	21.746.006
Knife & Accessory Plate	21.746.001
Mini D.Ring Set	21.746.002



reddot design award  
winner 2016



SHOWN WITH BPI

## T-ONE

Available in Sizes : 2XS, XS, S, M, L, XL  
and 2XL

Part Number: 21.703.123



## AIR2 5TH GENERATION UPGRADE

This fifth-generation octo/inflator is both versatile and easy to use. As a backup regulator in high-stress situations, the AIR2 breathes like a dream, rivaling some second stage models. It is CE-certified for waters 10-degree Celsius or warmer. The large, flexible purge button provides quick clearing when it counts. Divers can also enjoy pinpoint buoyancy control with the AIR2. Its large inflate and deflate buttons are easy to distinguish, and the device fits comfortably in hand. For reliable performance without dangling hoses, the AIR2 is a standout.

Part Number: 21.090.000U



## SEAHAWK 2 BCD

Part Number: 22.142.X10

The Seahawk 2 is an all-purpose BCD that features an ergonomic shoulder design with rotating buckles and a soft, reinforced backpack – this makes the Seahawk 2 much lighter than its predecessor, and extremely easy to fold and pack. The stainless steel Super Cinch tank band is positioned low and is supported by an additional Velcro strap to secure the tank when diving. Other features include a 50mm waist strap with lightweight cam buckle, generous cargo pockets and modern airway and valve fittings. Offering a streamlined shape yet substantial buoyant lift when needed, the Seahawk 2 is the perfect choice for divers looking for freedom of movement, comfort and stability when cruising the depths.



## LEVEL BCD

Part Number: 21.721.X00



The new Level front-adjustable BCD brings together all the best performance and comfort features you'll need for any recreational diving scenario. It is lightweight yet extremely rugged – the bladder is made of EndurTex high-tenacity 420 nylon fabric – but what the Level BCD really delivers is comfort. Convenient swivel shoulder buckle straps, a sternum strap and adjustable cummerbund with double-pull over-strap enable you to dial in the perfect fit. The bladder is designed to comfortably wrap around your body without squeeze, and the full-sized backpack, working together with SCUBAPRO's Super Cinch tank band, holds the tank rock solid for maximum stability. The integrated weight system loads easy and ditches even easier with its low-profile 40mm flat buckles. Also included are two large cargo pockets, one of which offers metal grommets for attaching a knife, four D-rings for clipping on additional gear, and two Octo pockets for storing both a safe second and a console hose.

# SIDEMOUNT



**STEALTH 2.0 REC**

Part Number: SM-S2R-S123



**STEALTH 2.0 TEC**

Part Number: SM-S2T-S123



**STEALTH 2.0 CLASSIC**

Part Number: SM-S2C-S123



## SIDEMOUNT SYSTEM COMPARISON SHEET

### STEALTH 2.0 CLASSIC

### STEALTH 2.0 TEC

### STEALTH 2.0 REC

Perfect for <b>CAVE DIVING, INCLUDING EXTREME EXPLORATION OF THE VERY TIGHT CAVES.</b>	Perfect for <b>DEEP MULTISTAGE DECOMPRESSION DIVING.  AMBITIOUS RECREATIONAL DIVING.</b>	Perfect for <b>RECREATIONAL SIDEMOUNT DIVING.  CAVE DIVING UP TO TWO CYLINDERS.</b>
Air travels <b>PERFECT</b>	Air travels <b>PERFECT</b>	Air travels <b>PERFECT</b>
Configuration <b>SIDEMOUNT</b>	Configuration <b>SIDEMOUNT</b>	Configuration <b>SIDEMOUNT</b>
Adaptable for other configuration <b>NO [PERFECTED FOR SIDEMOUNT ONLY]</b>	Adaptable for other configuration <b>NO [PERFECTED FOR SIDEMOUNT ONLY]</b>	Adaptable for other configuration <b>NO [PERFECTED FOR SIDEMOUNT ONLY]</b>
Full set weight <b>2.4 KG</b>	Full set weight <b>2.8 KG</b>	Full set weight <b>2.6 KG</b>



### X-TEK PURE HARNESS

SS Backplate, Backplate storage pouch and crotch strap  
Crotch Strap optional.

Part Number: 22.179.000



### X-TEK DONUT WINGS

Unprecedented buoyancy control regardless of diving position. For single (13kg or 18kg lift) and double (18kg or 27kg lift) tank diving.

#### KEY FEATURES


- 1680D Ballistic Nylon outer shell
- 420D Nylon inner bladder
- Proven SCUBAPRO balanced inflator

Variant	Part Number
Donut Wing (13 kg)	22.193.010
Donut Wing (18kg) . Single Tank	22.210.010
Donut Wing (27 kg)	22.184.010

### X-TEK STAINLESS STEEL BACK PLATE

Delivers optimal stability. Numerous attachment points allow for optional storage pack or other accessories.  
Weight: 2.4kg.

Part Number: 23.800.000



### X-TEK ALUMINUM BACK PLATE

Perfect travel companion features a stealth black coating. Ultra-light yet extremely stable. Weight: 0.9kg.

Part Number: 23.801.000



### STANDARD BACKPACK

#### KEY FEATURES

- Traditional single tank backpack
- Blow-molded plastic construction
- 2 in. [50 mm] black harness webbing
- Adjustable tank band with cam buckle
- Will accommodate 6.9 in [175 mm] to 8.0 in [203 mm] cylinders
- SS quick-release at shoulder and waist
- Built-in carry handle
- Overall length 15 in. [38 cm]

Part Number: BP100





ZEOS 28 WING



NX ZEN FULL SETUP



NX PROJECT WING



1.2M CROTCH  
STRAP



ALUMINIUM SINGLE  
TANK ADAPTOR



STD DELUXE NX SERIES  
HARNESS, AL BACKPLATE



TRI GLIDER  
REGULAR

Part number	Part name
BC-Z28-0	ZEOS 28 Wing
BC-ZEN-0	NX ZEN wing only
HA-002-0	Crotch strap 1.2 m
HA-005-0	One piece aluminium single tank adapter
HA-009-0	Straight D-ring (6 mm thick)
HA-010-0	Bent D-ring (6 mm thick)
HA-011-0	Tri glider regular
HA-015-3	Central weight pocket S size 2x2.50 kg
HS-010-0	NX Series Ultralight Harness Standard, L-size
HS-013-0	STD Deluxe NX series Harness, alu backplate L-size
SP-005-3	Corrugated hose for inflator 19"

# SPORT LONG

3mm thicknesses.

Available in sizes: Men XS-2XL, Women 2XS-L.

Colour coded sizing options

This new-generation Sport steamer has been updated with new features and a fresh look. An ultra-comfortable dive suit designed for the tropics, it is a great choice for new divers, casual divers, and first-time suit buyers who enjoy warm water island diving in moderate to shallow depths.

Part Number: 64.647.123



- Made from X-Foam neoprene, the only “green” neoprene that complies with P.A.H. regulations.
- Designed to keep new divers and casual divers warm and comfortable while diving in moderate to shallow depths.
- Pure Design Concept uses fewer seams and panels for maximum flexibility.
- Triathlon cut employs wider panels covering the underarm and back areas that allow unrestricted arm and shoulder movement.
- Main vertical-cut YKK rear zipper with KA brass slider offers increased long-term durability and ease of use.
- Single-cuff ankles and wrists are backed with plush inside.
- The interior is lined with a plush material that enhances comfort and warmth and dries quickly.
- High-stretch neoprene is great for hard-to-fit divers who can now enjoy a suit that molds comfortably to the body.





## PROFILE LONG 0.5 MM

Part Number: 63.037.123

The ultra thin neoprene PROFILE 0.5MM steamer can be used as a warm-water wetsuit or as a base layer beneath a thicker wetsuit for cold-water diving.

Built with a quality nylon/neoprene blend on the outside for durability and a comfortable Silverskin ultra-smooth inner lining, this lightweight steamer features the distinctive Profile pattern and styling and includes Powertex anti-abrasion panels and Tatex kneepads.

Non-chafing flat-seam stitching is comfortable against the skin. Thumb loops and foot stirrups prevent ride-up when worn as a first layer beneath a thicker wetsuit.



## THERMAL TEC

A serious suit for serious divers. The perfect combination of advanced materials and thoughtful construction for outstanding durability, comfort, and protection. Fast-drying N2S neoprene on main panels of suit, plus non-porous Fairskin material on external torso panel facilitates quick drying and helps prevent evaporative heat loss. Heliospan material on internal torso for added warmth with EverFlex stretch panels on stressed locations provide extra flexibility. Raw-cut collar for unprecedented comfort and zippers on wrist and ankles facilitate easy donning and ensure a virtually watertight seal. The Thermal Tec features strong double blind-stitching on all seams for comfort and durability and with added nylon webbing thumb loop at base of back zipper to aid donning, metal main zipper slider for durability and ease of operation.

3mm and 5mm thicknesses.

Available in sizes: Men XS-2XL, Women 2XS-L.

Part Number: 64.470.123



# ONEFLEX

## ONEFLEX

The classic Oneflex 3mm is all about form and function. Made of strong but stretchable X-Foam neoprene with a tough nylon lining, this warm-water steamer offers comfort and long life, even when subjected to intensive use.

3mm thicknesses.

Available in sizes: Men XS-2XL, Women 2XS-L.

[Part Number: 63.568.123](#)

## ONEFLEX SHORTY

Made of strong but stretchable X-Foam neoprene with a tough nylon lining, this 2.5mm shorty is perfect for tropical diving or pool sessions. Anti-abrasion material on the shoulders and seat area protect against chafing BC straps and non-skid boat seats, greatly extending the life of the suit.

2.5mm thicknesses.

Available in sizes: Men XS-2XL, Women 2XS-L.

[Part Number: 63.748.123](#)



## ECO SHORTY 2.5MM

This 2.5mm thicknesses economical wetsuit is for divers, store or resort rental fleets, and institutions needing suits with features that maximize use and function.

Available in sizes: Men XS-2XL, Women 2XS-L.

[Part Number: 64.522.123](#)



## EVERTEC DRY BREATHABLE MAN WITH LP HOSE

Lightweight breathable trilaminate, durable and offering a bit of stretch, this high-quality drysuit is made of heavy-duty Rip-stop fabric and comes with a long list of features to keep you warm, dry and comfortable in all water conditions. Included: suspenders, LP hose and a bag for storage or transport. Comes with hood.

Unisex. Enquire for Sizes

Part Number: 60.320.123



## EVERDRY 4 - NEOPRENE DRYSUIT

Enjoy the fit and flexibility of a wetsuit with the thermal properties and watertight seals of a drysuit. The high-density 4mm neoprene resists compression so little to no undergarments are required. Built for extended-wear comfort and convenience, the suit includes inflator hose and bag for storage or transport. Comes with hood.

Available in sizes: Men S-XL .

Part Number: 60.851.123



## NOVASCOTIA 7.5 MM - SEMI-DRY SUIT

upgraded

Snug-fitting and flexible, the NovaScotia keeps you very warm and relatively dry while exploring the depths. With its easy-zip YKK Aquaseal Vislon dry zipper, improved plush lining, double zippered seals on ankles and wrists and long list of convenience features, the NovaScotia offers the ultimate fit, warmth and durability in cold-water and multi-div thermal protection. Comes with hood.

An ideal hood for drysuits and semi-drys as well as cold water steamers. Made of 100% Everflex neoprene on the outside and nylon on the inside. Face seal minimizes water intrusion.

Available in sizes: Men S-2XL

Part Number: 63.696.123



## CHILLPROOF L/S

The comfortable 'hollow yarn' fleece layer is next to the skin and 'wicks' moisture and sweat away from the body to help keep you dry. The second middle 'technical' layer is 100% windproof yet breathes to regulate body temperature while stopping windchill. The third outer layer is a nylon/lycra blend for abrasion resistance and 4 way stretch. It is also UV resistant for sun protection and has a durable water repellent finish [DWR] to provide a protective shell that 'sheds' water.

Part Number: SSCPLS



## PERFORMANCE WEAR LONG SLEEVE


This top uses Chillproof material to keep your torso and rear kidney area protected. It also uses a breathable compression fabric in the shoulders and arms to aid in endurance and muscle recovery.

Part Number: SSPWLS

## CHILLPROOF LONGPANTS

These 100% Chillproof longpants are equally suitable teamed up with a top, under a Drysuit, or by themselves as the ultimate in thermal wear. They are cut with a high rear waist for comfort and warmth, provide protection from chaffing when dry and peace of mind knowing that if you do get wet you will still be warm.

Part Number: SSCPLP



## CHILLPROOF CLIMATE CONTROL

Part Number: SSCPCCLS



## COMPRESSION R-SERIES LONG SLEEVE TOP

Increases circulation and blood flow with full-torso compression to help promote muscle efficiency and minimize muscle fatigue. Liquid Titanium permanently infused into the fabric for the added benefit of 'far-infrared' [FIR] wave technology.

Part Number: SSRSLSBK

## COMPRESSION R-SERIES LONG PANTS

Increases circulation and blood flow with full-leg compression to help promote muscle efficiency and minimize muscle fatigue. Liquid Titanium is permanently infused into the fabric for the added benefit of 'far-infrared' [FIR] wave technology. Calf and thigh muscle mapping provides formfitting, shape-stretch design for superior muscle support with behind-knee and crotch mesh ventilation panels for breathability where needed.

Part Number: SSRSLPBK





### CHILLPROOF HOODED JACKET

Whether you are en route to your chosen watersport activity, in-between dives, or just finished a paddling session this jacket is hard wearing, comfortable and is the ultimate for keeping the windchill at bay.

Part Number: [SSCPJHD](#)



### CHILLPROOF VEST WITH HOOD

More than 25% of body heat is lost through the head and extremities of the body. The vest with hood design provides the best insulation and protection for colder dives. The hood protects against chaffing from mask straps, keeps your head and ears toasty warm, and is flexible enough to slide off if required, while still remaining comfortable.

Part Number: [SSCPVHD](#)



### CHILLPROOF LONG SLEEVE WITH HOOD

Great as a standalone garment and also suitable for under a wetsuit. The long sleeve design with an inbuilt hood provides the best protection for extreme conditions on or under the water. Available in black/silver or reflective.

Part Number: [SSCPLSHD](#)

### EVERFLEX HOOD, 5/3MM

Classic hooded vest made of 100 percent Everflex neoprene for superior stretch and comfort. Designed to layer with any SCUBAPRO steamer.

5/3mm thicknesses.

Unisex. Available in sizes: S-XL.

Part Number: [67.052.123](#)



### EVERFLEX HOODED VESTS, 2.5MM

Classic hooded vest made of 100% Everflex neoprene for superior stretch and comfort. Designed to layer with any SCUBAPRO steamer.

2.5mm thicknesses.

Unisex. Available in sizes: 2XS-3XL.

Part Number: [64.062.123](#)



### COMPRESSION R-SERIES SLEEVELESS TOP

Increases circulation and blood flow with torso compression to help promote muscle efficiency and minimise muscle fatigue. Liquid Titanium permanently infused into the fabric for the added benefit of 'far-infrared' (FIR) wave technology.

Part Number: SSRSSTBK



### CHILLPROOF VEST

Designed for water sports enthusiasts who demand maximum manoeuvrability without sacrificing comfort and warmth. Large arm sockets and a low-cut neckline protect the body's core while allowing maximum mobility for strenuous exercise.

Part Number: SSCPV



### TFLEX INSTRUCTOR RASH VEST

Available in sizes: a XS-2XL

Part Number: 63.283.123



### RAPIDDRY L/S


Rapid Dry has re invented the traditional rash guard. Rapid Dry is warmer, dries fast and lasts for years even in chlorine. Relaxed fit looks great in or out of the water.

Sharkskin Rapid Dry has addressed many of the drawbacks of a traditional rash guard while enhancing the benefits.

First while close fitting and very flexible the more relaxed fit looks great and can be worn all day. Users often comment that they "live" in their Rapid Dry, wearing it in the ocean, around the pool and to the bar after a day of fun in the sun.

Rapid Dry is a lightweight fast-drying fabric in which the material is "infused" and then "heat set" with a water resistant treatment (WRT). The result is a fabric that is vastly superior in water shedding and lasts much longer than traditional treatments.

Part Number: SSRDLSOR







### POLYESTER L/S RASH VEST

Available in sizes: 2XS-3XL

Part Number: 63.673.123



### T FLEX LONG SLEEVE UPF 80 - MEN

Available in sizes: XS-2XL

Part Number: 63.230.123



### SWIM BLACK RASHGUARD UPF50 - WOMEN

Available in sizes: XS-XL

Part Number: 62.531.123



### SWIM BLACK RASHGUARD UPF50 - MEN

Available in sizes: XS-2XL

Part Number: 65.031.123

Chlorine resistant - ideal for swimming pool use.



### PADDLING ORANGE CAP

Part Number: SSACPCOR



### TROPIC GLOVE, 1.5MM

Backed with neoprene.

Available in sizes: XS-2XL.

Part Number: 58.031.123



### CHILLPROOF WATERSPORTS GLOVES

This glove uses a single layer amara palm for extra 'feel' for diving, paddling and all your favourite water sports where dexterity is important.

Part Number: SSACGL

### CHILLPROOF SOCKS

Your bodies extremities lose heat rapidly so need protection from the cold. Chillproof socks keep your feet dry by wicking the moisture away. 100% warm and super toasty, use them under boots or by themselves.

Part Number: SSACSX



### DELTA CLUB BOOTS, 5MM

Comfort and protection.

Available in sizes: 3XS-3XL.

Part Number: 57.138.123

### DELTA SHORT BOOT, 3MM

Low-cut and lightweight.

Available in sizes: 2XS-3XL.

Part Number: 57.166.123





# GO RESCUE

Jupiter, FL



new

## GO SPORT

Part Number: 25.761.100

A new Boot-Fit version of the award-winning GO fin has been added to the SCUBAPRO fin line for 2019. Offering the same design and features as the original GO, the GO SPORT adds an improved ERGO3 foot pocket that accommodates boots, along with a number of new features that deliver a superior blend of comfort, durability and kicking performance. GO SPORT fins fit easily into IATA-compliant carry-on luggage, making them great fins for travel as well as local diving. Interchangeable Scuba Skegs in a range of colors improve stability and provide trailing edge rigidity.



DEEP DOWN YOU WANT THE BEST / [SCUBAPRO.COM](http://SCUBAPRO.COM)

# GO FIN new

Part Number: 25.743.123

The perfect addition to the SCUBAPRO fin range, the GO dedicated travel fin has been designed from the ground up, offering a superior blend of durability, portability, and performance. Lightweight, comfortable, and virtually indestructible, GO fins are travel-friendly and fun to use—making them the ideal fins for divers seeking experiences around the world.

## Travel-Friendly

Designed to fit easily in IATA carry-on compliant luggage, the Piggy Back Stack System makes packing and traveling even easier.



## Extremely Lightweight

Lightweight design makes traveling more convenient and use in the water easier and more comfortable.


## Versatile Fit

Available in versatile crossover sizes, fitting a wide range of feet sizes, complete with self-adjusting bungee heel strap.



## Power in any Water Condition

Power bars under the rails prevent overflex to maintain the optimum angle of attack under high load conditions.




## Barefoot Design

The GO's design combines the fit of an open heel fin, with the comfort and barefoot freedom of a full foot fin.



## Monprene® Construction


100% Monprene® eliminates broken blades, de-lamination and torn foot pockets—making it ideal for long-term, heavy-duty use.



## High Performance

The 25-degree pre-angled blade includes a central power panel, providing longitudinal rigidity and creating a channeling effect.

## GO RENTAL





## SEAWING NOVA GORILLA

A slightly stiffer blade results in increased power and control for divers who prefer more feedback in their kicks. It also allows for more effective sculling and reverse kicking, making the Gorilla an excellent choice for tech divers and dive instructors.

Available in sizes: S-XL.



Part Number: 25.728.123



## SEAWING NOVA

The multiple-award-winning Seawing Nova delivers the power, acceleration and maneuverability of a blade fin, with the kicking comfort, speed and efficiency of a split fin. You'll be hard-pressed to find a fin more comfortable to wear or fun to kick.

Available in sizes: XS-XL.

Part Number: 25.73x.123



reddot award 2016  
winner

ADJUSTABLE

## JET FIN

SCUBAPRO Jet Fins have a long and celebrated history of performance. They set the standard for power and durability in 1965 and continue to be immensely popular today. Optional spring straps fit Twin Jet and Jet Fin.

Part number	Size
<b>CAMO 2-colours mix</b>	
<b>*Available on Pre-order only</b>	
25.362.300	M
25.362.400	L
25.362.500	XL
25.362.600	XXL
<b>CAMO 4.colours mix</b>	
<b>*Available on Pre.order only</b>	
25.373.300	M
25.373.400	L
25.373.500	XL
25.373.600	XXL
<b>BLACK</b>	
25.365.300	M
25.365.400	L
25.365.500	XL
25.365.600	XXL



SIZE CHART: OPEN HEEL FINS				SEAWING NOVA & GORILLA, TWIN JET MAX, TWIN JET, JET SPORT			JET FIN		
International Sizing				3mm	5mm	Heavy/ Dry	3mm	5mm	Heavy/ Dry
♂ US	♀	UK	EU						
4	5	3	35-36	XS	XS	XS	----	----	----
5	6	4	37	XS	XS	S	----	----	----
6	7	5	38	S	S	S	----	----	M
7	8	6	39-40	S	S	M	----	M	M
8	9	7	41	S	M	M	M	M	L
9	10	8	42	M	M	L	M	L	L
10	11	9	43-44	M	L	L	L	L	XL
11	12	10	45	L	L	XL	L	XL	XL
12	13	11	46	L	L	XL	XL	XL	2XL
13	14	12	47	L	XL	XL	XL	2XL	2XL
14	15	13	48-49	XL	XL	----	2XL	2XL	----
15	16	14	50	XL	XL	----	2XL	----	----
16	17	15	51-52	XL	----	----	----	----	----

This size chart is to be used as a guide only. We recommend a proper fitment before selecting the size. Individual fit will vary depending on foot shape and boot construction.

‘----’ shows that the selected model is not available to fit that particular foot size.

## D420 new

Part Number: 24.250.099

Sharing the design scheme of the new D-Series D420 regulator, the new D-Mask is a sleek, premium mask well-suited for all types of diving. It is equipped with UV+420cut™ lenses that filter out high-energy visible (HEV) light as well as UV light without affecting how colors appear under water. It is also the only premium mask that features an interchangeable lens system for optional optical lenses. The D-Mask is available in black with blue accents to match the D420 regulator's color scheme. It comes with a choice of black or clear skirts in two sizes: Medium for the western market and Small to fit divers with smaller face shapes. For the Asian market it is available in one size with a black skirt only. Also included is a new black-on-black Comfort Strap and an adapter for mounting a HUD hands-free dive computer.



Shown with D420  
sold separately

- Sleek design matches the new D420 regulator.
- UV+420cut™ lens technology filters out HEV and UV light without affecting how colors appear.
- Interchangeable lens system makes it easy to install optional optical lenses.
- Available with a choice of skirts to suit western or Asian dive markets as well as divers with small face shapes.
- Rotating buckles work with a new black-on-black Comfort Strap to optimize range of motion and achieve a comfortable, watertight fit.

- Includes an adapter for mounting a HUD hands-free dive computer.
- Packaged in a durable molded fabric transport box.
- Optional lenses available: Optical lenses [6x positive +1.5 to +4.0/8x negative -1.5 to -5.0]; Bi-Focus lenses [3x positive +1.0 to +3.0].



## CRYSTAL VU

A single lens mask with seamless side windows for a panoramic field of vision.

Part Number: 24.855.123



## SOLO

Enjoy the view in a streamlined, low-volume frameless mask. Double-sealed silicone skirt molds to the face for a comfortable, watertight seal.


Part Number: 24.849.110



### SYNERGY 2 TRUFIT new

The single lens Synergy 2's new-generation Trufit two-skirt design delivers a long-lasting, comfortable seal on virtually all face shapes.

Part Number: 24.838.123



MIRRORED LENS ALSO AVAILABLE




MIRRORED LENS ALSO AVAILABLE

### SYNERGY TWIN TRUFIT new

2nd generation Trufit technology uses two thicknesses of supple silicone to create a comfortable, watertight seal.

Part Number: 24.713.123




MIRRORED LENS ALSO AVAILABLE

### SPECTRA new colors

A metallic-look frame, dual lens mask. Exclusive paint process gives your mask the look of stylish eyewear.

Part Number: 24.847.123



### SPECTRA 2

The Spectra 2 resembles the metallic-look frame, twin lens Spectra mask, but is smaller in size.

Part Number: 24.851.123







24.553.510 (Group 1) Mask		
Part No.	Product No.	Description
1	24.553.510	Mask Frame
2	24.553.511	Mask Lens
3	24.553.512	Mask Strap
4	24.553.513	Mask Buckle
5	24.553.514	Mask Gasket
6	24.553.515	Mask Lens
7	24.553.516	Mask Strap
8	24.553.517	Mask Buckle
9	24.553.518	Mask Gasket
10	24.553.519	Mask Lens
11	24.553.520	Mask Strap
12	24.553.521	Mask Buckle
13	24.553.522	Mask Gasket
14	24.553.523	Mask Lens
15	24.553.524	Mask Strap
16	24.553.525	Mask Buckle
17	24.553.526	Mask Gasket
18	24.553.527	Mask Lens
19	24.553.528	Mask Strap
20	24.553.529	Mask Buckle



## OSPREY

This Mask High impact Polycarbonate Frame delivers Durability and Strength. Dual Lenses Tempered Glass is very clear make our viewpoint in the water quite more Comfortable, and the most make me like the part of this design back to Classic Hypoallergenic silicone skirt is super comfortable and keeps water out. Non slip strap and easy adjust buckles provide the perfect fit for enjoyable scuba diving or snorkeling

Part Number: 24.853.510

# UNDERWATER PRESCRIPTIVE GLASSES

## ZOOM EVO

The low-volume Zoom EVO is ideal for all divers, but especially those who use optical lenses. This mask's innovative lens-change system enables you to switch lenses yourself, without tools, in less than a minute.

Part Number: 24.157.123

## PRESCRIPTION LENS COMPATIBLE

## PRESCRIPTION LENSES

Part number	Description
24.595.401	LEFT OR RIGHT -1.5
24.595.402	LEFT OR RIGHT -2.0
24.595.403	LEFT OR RIGHT -2.5
24.595.404	LEFT OR RIGHT -3.0
24.595.405	LEFT OR RIGHT -3.5
24.595.406	LEFT OR RIGHT -4.0
24.595.407	LEFT OR RIGHT -4.5
24.595.408	LEFT OR RIGHT -5.0
24.595.409	LEFT OR RIGHT -5.5
24.595.410	LEFT OR RIGHT -6.0
24.595.411	LEFT OR RIGHT -6.5
24.595.412	LEFT OR RIGHT -7.0
24.595.413	LEFT OR RIGHT -7.5
24.595.414	LEFT OR RIGHT -8.0



### SCUBAPRO FULL-FACE MASK

Professional-quality mask is designed for diving in cold water, wrecks or caves and technical diving. It is widely used by military and commercial divers worldwide.

Part Number: 24.150.000



### KIRBY MORGAN M-48 MOD-1



### OTS GUARDIAN FULL FACE MASK



### MK-7 BUDDY-LINE - PORTABLE TWO DIVER AIR INTERCOM (4 WIRE ONLY)



### AQUACOM SSB-2010, 4-CHANNEL TRANSCEIVER



### AQUACOM® MK2-DCI 2 DIVER AIR INTERCOM



### BUDDY PHONE THROUGH- WATER TRANSCEIVERS


### CR-4 STANDARD 4 WIRE COMM ROPE



## NEOPRENE MASK STRAP 2.5MM

No more tangled hair and twisted headbands.

Part Number: 24.700.123



## COMFORT STRAPS new

Similar to a ski-goggle strap, the Comfort Strap is comfortable, protects hair from being pulled, and attaches quickly and easily to a variety of mask models. Kids also love them! Available in five stylish colors.

Available colors: Black, Black/Yellow, Blue, Pink/Purple, Turquoise.

Part Number: 24.730.123



## SPECTRA SEMI-DRY

A large-bore snorkel with a semi-dry top design to keep water from entering the tube. This snorkel not only has an unique paint application but is top in comfort, both in ease of breathing and clearing.

Part Number: 26.704.123



## ESCAPE

Splashguard design helps keep water from entering the large-bore barrel while allowing abundant airflow. Includes an efficient purge valve and comfortable mouthpiece.

Part Number: 26.715.123



## ECCO & VENT 2 SET

Includes new redesigned Ecco Mask with new buckle system and snorkel


Part Number: 24.315.280



## TRINIDAD SNORKEL

Vented flex snorkel with splash guard.

Part Number: 26.070.000



## TRINIDAD MASK

A Frameless and low-volume mask design.

Part Number: 24.156.100

### MESH BAG

A popular, classic dive bag made of durable nylon mesh that lets water drain easily. Roomy and strong enough for a full set of gear, yet lightweight and foldable for easy storage. Perfect for live aboards or for carrying suits separately.

Dimensions // 70x40x30cm

Weight // 0.49kg

Volume // 84L

Part Number: 53.379.000



### DRY BAG W/SHOULDER STRAP new

A cylinder-style, large volume bag keeps contents sealed and dry. With a roll-top closure and stitched/tapped construction water tightness is assured. The padded backpack straps or handle give carrying convenience.

Variant	Part Number
25 L	53.03x.300
15 L	53.03x.200

COLOUR OPTIONS: BLACK / BLUE / YELLOW / PINK



### SHARKSKIN PERFORMANCE BACKPACK 30L

The Sharkskin Performance Backpack 30L is designed to meet the technical needs of the active watersports enthusiast.

Part Number: SSBGBP30LRD

### SCUBAPRO DRY 45

This mid-size dry bag is the ideal carrier to transport your gear and protect it from water, sand and dust while out on diving tours or other outdoor activities. The backpack-style bag is 100% dry, thanks to a super-tough fabric blend – 85% 500D nylon and 15% polyester backed by a TPU coating. The roll-and-close system is super-easy to use, and an outside zippered pocket keeps smaller items accessible.

A comfortable padded backpack system makes for effortless gear hauling.

Part Number: 53.379.000





## CARAVAN BAG

Easy to move from the car to the boat or roll through an airport, the Caravan is the ideal large-gear storage and travel bag. Features include a corrosion-resistant zipper, reinforced saltwater-resistant wheels, exterior side pockets and telescopic handle.

Part Number: 53.350.120



- Bag's exterior is made from a combination of 420D Nylon NT and 450D Rip-stop for strength and durability. The interior lining is 150D Polyester.
- The bag enjoys a 20% lighter overall weight thanks to the new PU lining and updated construction.
- Offering over four gallons more volume than its predecessor, the Caravan comes with substantially increased gear-packing capacity.
- A large main compartment with U-shaped opening, two side pockets and one flat pocket on top provide a variety of packing and stowage options.
- YKK saltwater-resistant double-

- slider zippers are durable and allow for easy access of the large main compartment.
- External compression straps help snug down a partial load to make bag handling easier.
- Telescopic double-bar tow handle, side, top and bottom carry handles and reinforced saltwater resistant wheels provide a bevy of lifting, carrying and rolling options.
- Dimensions:  
75x40x35cm.  
Weight: 4.65kg.  
Volume: 105L.



## PORTER BAG

A foldable wheeler with extra-large volume for all your gear. Includes integrated wheels, backpack system, corrosion-resistant U-shaped zipper, two front and two inside pockets, and reinforced bottom. The bag folds in on itself for easy storage.

Dimensions // 85x57x36cm

Weight // 2.65kg

Volume // 174L

Folded dimensions // 51x41x18cm

Part Number: 53.310.190



## CABIN BAG, 4 WHEELS new

This new Cabin Bag sports four wheels, making it more luggage-like, more versatile, more user-friendly and the ideal roller carry-on bag for traveling.

Dimensions // 53x37x19cm

Weight // 3.18kg

Volume // 37L

Part Number: 53.365.170



## REPORTER BAG

Part Number: 53.951.190

## PROSCUBA 2020



### MAKO

Compact dive knife offered in stainless steel.

Part Number: 32.023.000



### WHITE TIP

Excellent cutting edge. Stainless steel blade resists surface oxidation. Includes locking sheath and BC/hose attachment.

Part Number: 32.002.000



### EMT SHEARS

- 420 stainless steel construction
- Rust resistant titanium coating
- Cut your way out of almost anything
- 304 stainless steel hinge bolt
- Red handles
- Optional Sheath Available - 382 INR

Part Number: PS-HL411



### TK 15

The first of a new "Tactical" series of dive knives. Single-piece stainless steel blade features both smooth and serrated edges along with a shackle key and a line cutter. The knife comes with a heavy-duty handle and fiberglass-reinforced polyamide sheath.

Dimensions // Blade only: 15cm

Part Number: 32.009.100



### K6

Stainless steel blade offers smooth and serrated edges plus line-cutting notch. Includes injection-molded sheath.

Dimensions // Blade only: 15.5cm

Part Number: 32.006.100



### NOVA 2100 SF


Powerful new Nova 2100 SF (Spot Flood) multi-use dive light offers both a 65° wide beam and a 15° spot beam to perfectly match any diving situation. Five light modes plus an emergency signal mode provide lots of versatility. Includes a choice of handles, rechargeable battery, charger and spare parts, all packed in a zippered EVA carry case.

Part Number: 30.400.001

### NOVA 850/ NOVA 850R

Newest Cree XPL LED. 100% or 50% power modes. Choose from full-sized 850 (23cm long, 3 C cells), or compact 850R (15cm long, rechargeable Li-ion). Batteries sold separately.

Variant	Part Number
850	30.226.000
850 R	30.228.002



### NOVA 250

A powerful dive light in a super-compact package. Optional mask strap attachment provides hands-free illumination. Three power modes. Batteries sold separately.

Part Number: 30.224.000



### WETNOTES

Part Number: 45.070.000



### WATERSPORTS HELMET

Part Number: PS-SSACHEL

### SURFACE MARKER BUOY



#### Variant

#### Part Number

Sealed SMB 4.5 ft Orange (Scubapro)	40.312.001
Sealed SMB 4.5 ft Yellow (Scubapro)	40.312.002
Sealed SMB 6.0 ft Orange (Scubapro)	40.316.000
Closed DSMB, Orange, 140 cm long (X-Deep)	SB-001-0
Closed DSMB, Orange, 90 cm long (X-Deep)	SB-003-0

### OXYGO

Oxygo Mediva [414 Litres] [3.4 kg]  
Part Number: SP-OXY-MD



#### Variant

#### Part Number

Expandable Cargo Pouch	HA-022-1
Standard (non-expandable) Cargo Pouch	HA-022-2



### AED TRAINER

Part Number: SP-AED-tr

### LITTLE ANNE

Variant	Part Number
Little Anne Adult	SP-ANNE-ADT
Little Anne Baby	SP-ANNE-CLD
Pocket Mask	PS-50080





1



2



3



4



5



6



7



8



9



10



11



12




13



14



15



16



17



18



19



20



21



22



23



24



25



26



27



28



29



30



31





## TOOLS

No.	Part No.	Part Name	Description
1 a	41.047.000	SCUBAPRO Christo.lube	MCG.111, 2 oz Tube version
1 b	41.060.000	Silicon Grease	25g
2	43.080.001	Dual pro Stand w/ 0.3 Magnehelic, IP Gauge	SCUBAPRO
3	43.080.002	0.3 Magnehelic w/ Stand	
4	43.039.103	BC Pull Dump Valve Remover Tool	All SCUBAPRO BC's
5	41.496.101	Monojet Syringe	
6	41.043.010	Tool, 2nd Stage Adjust	
7	PS.TL.ADJ2GG	Adjust Tool With Gauge	
8	PS.TL.IP	Intermediate Pressure Tester	Generic
9	43.040.000	Universal Multi.Tool	
10	43.040.009	Drive Extension (for 43.191.107)	
11	43.191.107	1" Yoke Socket	All 1st Stage Yoke Retainers
12 a	43.080.000	T.10 Torque Driver 5.10 inch pounds	SCUBAPRO
12 b	43.080.100	Torque Blade T.10	
13	43.080.101	AIR2 Bullet Kit	
14	43.080.102	Standard Screwdriver	3mm
15	43.117.130	MK17/19 Dry Socket	
16	43.300.002	Nut Driver 1/4"	
16	43.300.003	Socket Driver 5.5mm	
17	43.300.017	Brass O.Ring Pick Set	
18	43.404.001p	Magnehelic Calibration Mouthpiece	
19	43.300.107	Plastic O.Ring Pick	
20	43.403.000	Cover Tool	R295/395, S555/600, AIR 2 4th Gen
21	43.018.000	Hose Protector Installation Tool	
22	43.300.114	Field Handle Brass	
23	43.300.119	AIR 2 Spider Tool	
24	43.300.127	Field Handle	3/8" unf LP & 7/16" unf HP threads
25	43.300.210	MK2 HP Seat Removal Tool	
26	43.300.221	Schrader Valve Tool	
27	43.300.225	Flow Vane Removal Tool	2nd Stage EXCEPT AIR 2 & X650
28	43.300.226	MK20/25 Bushing Assembly Tool	
29	SP.TL.TWR	Torque Wrench	Generic
30	43.300.235	LP Hose Tool	
31	43.300.240	MK16/18 Balance Chamber Tool	Aluminium

## SERVICE KITS AND SPARES

Part number	Description
<b>1st Stage Service Kits</b>	
10.063.045	MK2 EVO
10.721.045	MK21
10.042.045	MK2, MK2+
10.707.045	MK11
10.117.045	MK17, MK19
10.750.045	MK25 . AF, SA, T, TA, MK20, MK20UL
<b>2nd Stage (Including Octopus) Service Kits</b>	
11.300.045	R190/295/380/390/295/395
11.361.045	C300/C200
11.261.045	G250V
11.254.045	S600/S550/555/G200B/250/250HP/G500/Bal.ADJ/Classic
11.700.045	A700
<b>BCD Service Kits</b>	
21.085.045	AIR.2 . 3rd/4th Gen
21.090.045	AIR.5
21.626.045	BPI (BCD Inflator)
<b>Nitrox Kits</b>	
10.062.032	Service Kit, MK2+, EAN 100
10.062.030	Conversion Kit, MK2 to MK2 Nitrox
<b>Low and High Pressure Hoses</b>	
01.309.020	Low Pressure hose . 20 cm (Sidemount)
01.309.027	Low Pressure hose . 56cm
01.310.026	Low Pressure hose . 64cm for AIR.2/BPI (w/o Adapter)
01.309.035	Low Pressure hose . 75cm
01.310.034	Low Pressure hose . 100cm (Octopus) Yellow
01.310.040	Low Pressure hose . 100cm (Octopus) Black
01.309.080C	Low Pressure hose . 210cm (7 foot)
01.044.008	High Pressure hose . 20 cm
01.044.031	High Pressure hose . 80 cm
21.626.013	Quick Disconnect (without hose)

## MULTI TOOL

When you enjoy scuba diving, equipment failures happen anywhere and at any time. As divers and/or instructors, although you carry proper tools to cope with some unexpected situations which could take place during the courses or dive trips, the existing diving tools are always a little too much to have with due to the large volume and weight. The tools available at dive resorts or aboard are not easy to use because they are mostly rusty. Multi-tools designed for diving purpose do not exactly consist of what you actually need on site, so they do not function properly when needed.

1. Orifice Adjustment Tool

2. 16mm Spanner

3. 14mm Spanner


4. K' st Inflator Tool

5. 19mm Spanner

6. 12mm Spanner

7. Bottle Opener

8. 4,5,6,8,10mm Hex Wrench



9. 15mm Spanner

10. 17mm Spanner

11. 5mm Hex Wrench

12. 6mm Hex Wrench

13. Hose Spline Wrench

14. 4mm Hex Wrench

15. Hook Wrench

Variant	Part Number
Multi Tool (SS)	PD-MT=SS
Multi Tool (Ti)	PD-MT-Ti
Multi Tool (TiC)	PD-MT=TiC

## O - RING SET

1. O-ring picker:

Made by brass material to protect the surface of regulator

2. Oxygen rease MCG-111 5g included

3. 6 commposaly O-ring type:

[Gage pin O-ring, tank O-ring, Din Valve O-ring etc.]



## REGULATOR IP CHECK GAUGE

Check regulators before use. Check pressure when setting the first stage \*IP. Able to check If regulator needs an overhaul. Check regulator before and after overhaul.

If IP is over 125-150 PSI [8.5-10 BAR], overhaul is recommended.

Disconnect the gauge before the IP exceeds 210 PSI [14 BAR].

Remove water from LPI before use



Quality. Our DNA



Item Name	Description
IE250-TE W/ P21	250lpm, 225bar, 3phase,415V, 50Hz, P21 filter, 2 filling device & 2 filling yoke
IE250-TB W/P21	250lpm, 225bar, 4 stroke petrol engine, P21 filter, 2 filling device & 2 filling yoke
IE250-TE W/ P31	250lpm, 225bar, 3phase,415V, 50Hz, P31 filter, 2 filling device & 2 filling yoke
IE250-TB W/P31	250lpm, 225bar, 4 stroke petrol engine, P31 filter, 2 filling device & 2 filling yoke
IE250-TE W/P41	250lpm, 225bar, 3phase,415V, 50Hz, P41 filter, 4 filling device & 4 filling yoke
IE250-TB W/P41	250lpm, 225bar, 4 stroke petrol engine, P41 filter, 4 filling device & 4 filling yoke
IE250-TE W/P41 Securus	250lpm, 225bar, 3phase,415V, 50Hz, P41 filter, 4 filling device & 4 filling yoke
IE250-TB W/P41 Securus	250lpm, 225bar, 4 stroke petrol engine, P41 filter, 4 filling device & 4 filling yoke





## PE550-VE - P41

550lpm, 225 bar, P41 purification system, 11kW, Three phase 400V, 50 Hz, open version, B-Control Mirco, Filling devices 4x200 bar Hose [DIN type]



Variant	Description
IE100-TW	100lpm, 225bar, 1phase, 230V, 50Hz, P21 filter, 1 filling device & 1 filling yoke
IE100-TE	100lpm, 225bar, 3phase, 415V, 50Hz, P21 filter, 1 filling device & 1 filling yoke
IE100-TB	100lpm, 225bar, 4 stroke petrol engine, P21 filter, 1 filling device & 1 filling yoke

## COMPRESSOR FILTERS

SKU	Item Name
057679	P21 Filter Cartridge - Electric
059183	P21 Filter Cartridge - Petrol
80100	P31 Filter Cartridge - Electric
80114	P31 Filter Cartridge - Petrol
062565	P41 Filter Cartridge - Electric
067224	P41 Filter Cartridge - Petrol
061686	P41 Securus Filter Cartridge - Electric
061687	P41 Securus Filter Cartridge - Petrol
058826	P61 Standard Cartridge - Electric
058827	P61 Standard Cartridge - Petrol
060036	P61 Securus Cartridge - Electric
060037	P61 Securus Cartridge - Petrol



## BAUER COMPRESSOR SPARES

SKU	Item Name
A-JuniorII-F4-abc1	IE100 ABC KIT - Maintenance kit 2,000 and 4,000 hours
N15426	IE100 - V - belt electric engine 50 HZ
N24960	IE100 - V - belt electric engine 60 HZ
N27836	IE100 - V - belt gasoline engine
A-120II-F7-abc1	IE250/Mariner ABC KIT - Maintenance kit 2,000 and 4,000 hours
N18841	IE250/Mariner - V - belt electric engine 50 HZ
N17232	IE250/Mariner - V - belt electric engine 60 HZ
N18841	IE250/Mariner - V - belt gasoline engine
059410-225TÜV	Safety valve PN200 bar
071343	Filling valve PN200
N2817	Filling hose 1m
N28355-1	Synthetic Oil 1 liter
N28355-5	Synthetic Oil 5 liter
N25326	IE250/Mariner - Oil Filter
N25950	IE250/Mariner - Intake Filter
073080-KD	Distributor Connection (Y Splitter for filling hose)

## B-KOOL S620 + MOUNTING KIT

The normal service life (capacity) of a filter cartridge can be extended many times over by additional cooling of the compressed air with the B-KOOL refrigeration dryer. As a result of air cooling, most of the condensate is separated in the oil and water separator, so that the filter cartridge absorbs much less water vapour.



# Providing the complete back-end solutions to give you the best quality gas to breathe during your dive

\* Enquire , based on your needs / flow rates / environment

FILTRATION



NITROX MEMBRANE SYSTEM




AIR TOWER  
LP Screw Compressor

DISTRIBUTION  
MANIFOLD



TANK  
FILLING STATION

Of the 3 main types of Nitrox blending systems used around the globe, we recommend membrane integration, due to the lack of 100% oxygen, and the issues associated with both availability and volatility of the gas. Our membrane systems are fabricated from the best of the best equipment imported from around the world, to create the ultimate in safety, ease of use, longevity and gas results. They are part of a 7 part modular install procedure, and can be installed on any existing or new unit(s), and brand, with any flow rate (Please ensure all normal compressor maintenance and filling procedures are followed).



Our “Complete Gas Solution” can be added to, upgraded, altered at anytime, and comes in the 7 modular units of:

1. LP Screw Compressor + dryer
2. Membrane Unit
3. Compressor(s)/Pump
4. HP Cooling and gas condensing
5. Filtration
6. Gas banking
7. Fill Station

Any and all of these items can be installed independently, based on the supply demands of the operation, and desire of the owners/managers. Nothing is too small or too big to install, adjust, create and improve!

Money matters, and we find through good planning, our systems very quickly pay for themselves, then start saving your hard earned income with every tank filled.






To best service your needs, please let us know:

- What system, if any, you currently use?
- What gas flow you require in LPM (alternatively, how many cylinders you want to fill per day)
- Where is the system to be located/installed?
- Do you have a trained operator and/or technician on staff?
- Do you require installation and/or scheduled maintenance?
- Approximate budget allowance
- When are you looking to install by?

Please email to [sales@proscuba.in](mailto:sales@proscuba.in).



We are happy to supply, install, maintain and monitor your system. Please contact us to discuss your requirement and find the best system to suit yours and your divers needs.



## **COMPRESSOR COMMISSIONING, SERVICING & MAINTENANCE**

### **Commissioning**

For all new, used, or even serviced or relocated compressors, we highly recommend a qualified Bauer technician to commission the unit and ensure lubricant levels, filters and log books, DOR (rotation of pump), adequate ventilation, overall safety of operation, starting / stopping, procedure, and more.

Proscuba are able to train you and your team in Genuine and Factory level 1 and 2 Bauer compressor Operator and Technician qualifications, to enable you to be fully self sustainable on your own site. If you cannot complete the training with one of our Bauer Technician Trainers, we are happy to either attend your site, or have a local Technician come and commission your compressor. Please do contact us for this service and book in your training or site visit.

### **Servicing**

Proscuba is able to facilitate and complete any and all servicing and repairs, anywhere in India, giving you confidence and trust in your new Bauer compressor, and it's lifespan, plus keeping your operation running 24/7.

Our sales team, and technicians, are all factory trained and can assist you on site with an annual service, any and all repairs, and of course normal advice to save you money and time.

Charges are approximate @ 10,000 rs per day + GST, plus and travel and extra expenses. If of course we are already in your area, we do not need to charge you any travel component. Please do chat with us to firm up the correct and best costings to suit you.

### **Maintenance.**

Of course we would rather have your team take care of this, as it is far cheaper for you in the long run, plus gives you around the clock, in house support. If for now you cannot have any of your team trained by us as an Operator or Technician, please do refer to the Servicing info, which will also apply to Maintenance.

## **USED COMPRESSORS & TRADE IN PROGRAM**

Send us back your old used compressor, and upgrade it to brand new reliable and warrantied unit. By trading in, you get new for old, at a greatly reduced price. This exclusive Proscuba offer applies to any compressor, running or not.

We could at the same time upgrade your filter system, - remember, by using/filling just 15-20 tanks a day, your ROI on a P41 system is approximately 1 year, which means you have 14 years of cheaper filling and huge savings - change the drive for petrol or electric, add more whips and filling valves, increase the speed of fill and flow rate, and many more exciting improvements to suit your operation.

Just send us some photos and if running, a video, of the item, so we can assess it's value and repairability, and we can adjust this against your new / upgraded compressor purchase.

Please do contact your Proscuba sales representative to discuss the best way forward for you, your operation and your new faster filling, time and money saving, compressor system. We will style any and all changes to your specific needs.



**AUMINIUM TANKS**



**PONY CYLINDERS**

Variant	Part Number
0.9 Litres	PS-LAL06-YL
2.9 Litres	PS-LAL19

**TANK RUBBER BOOT**



**SPARE AIR**



**TANK VALVE CAPS**

**THERMO ISOLATION MANIFOLD**

Available in DIN/INT

Part Number: PS-VMT200-30N




**THERMO VALVES**

Available in DIN/INT

Variant	Part Number
INT Valve	LX-TV-INT
PRO / DIN Valve	LX-TV-PRO




**THERMO**  
**PRO Valve**



# THERMO VALVE KITS AND SPARES

#	Part number	Description
<b>Thermo Valve Service kits</b>		
	VKT-1M	Thermo Manifold Service Kit (Centre Unit)
	VKT-K	Thermo K Valve Service Kit
	VKT-P	Thermo DIN / PRO Valve Service Kit
<b>Service Kit - Thermo PRO Valve</b>		
1	VP01-30	Safety Assembly - 3000 psi (5000 burst)
<b>3</b>	<b>VP03-V</b>	<b>O-ring - Viton (3/4"-14 NPSM Inlet)</b>
4	VT04	Dip Tube - (Pre 10/09) - Fine Threads
4	VP04	Dip Tube - (Post 10/09) - Course Threads
<b>5</b>	<b>VP05</b>	<b>Seat</b>
<b>6</b>	<b>VT06</b>	<b>Copper Crush Washer</b>
7	VP07	Stem
8	VP08-E	O-ring - EPDM (Stem)
9	VP09	Teflon Washer (Stem)
10	VT10	Bonnet - Thermo
11	VP11	Teflon Washer (Handwheel)
12	VP12-BK	Handwheel - Black
12	VP12-GN	Replacement Handwheel - Green
13	VP13	Spring
14	VP14	Nut
<b>15</b>	<b>VP15-V</b>	<b>O-ring - Viton (Outlet)</b>
15	VP15-P	O-ring - Polyurethane (Outlet)
16	VP16-V	DIN Insert With Both O-rings Viton



\* Part numbers in bold italics are standard replacement parts and are included with PS-VKT-P service kit



## PROSCUBA TRADE IN PROGRAM

Send us back your old used gear, and upgrade it to brand new equipment. Yes, why wait for your investment to perish completely. By trading in you get new for old, at a greatly reduced price. This exclusive Proscuba offer applies to:

- School equipment
- Instructor Gear
- Damaged/Historical Items
- Accessories and anything dive gear related

A general guideline table is below for your to ascertain the trade in discount you should receive, but do remember that we need to see the items in photos or videos, and/or have them couriered to us to check the exact condition. Please do contact your Proscuba sales representative to discuss the best way forward for you, your operation and your new equipment.



Brand	Age	Trade in Discount off trade price - Condition		
		As New	Well Used / Operating	Damaged / Major wear
Scubapro	<2 Years	60%	40%	20%
Scubapro	3-4 Years	45%	30%	15%
Scubapro	5+ Years	30%	20%	10%
Other Brands	<2 Years	20%	15%	10%
Other Brands	3-4 Years	15%	10%	5%
Other Brands	5+ Years	10%	5%	0%

## FACTORY SERVICED USED SCUBAPRO EQUIPMENT NOW AVAILABLE AT ECONOMICAL PRICES!

Of course the trade in program leads to use having a lot of equipment in various states of condition. All Scubapro regulators come from factory with a lifetime warranty\*, so our in house Technician Department restore all regulators we trade in to this state, factory specs, and make them fit for any diver or dive operator to use as much as they like, direct from Proscuba. All other gear like BCDs will have the same level of process servicing by our technical team, prior to being available for purchase.



All regulator sets, and BCDs, will be dismantled, cleaned, inspected, reassembled, and tuned + tested, using a complete genuine Scubapro service kit. All regulators will come with a report of operating specs, date and summary. See the table below for a general idea on pricing for used gear.



All equipment sold will have a 1 year warranty on normal use. Contact your Proscuba sales representative to find out what is in stock now, and to place your order for this exciting idea of the best gear, at the best prices. You can also pre-order, and when we find some gear which suits you, we will let you know.

Brand	Age	Trade Price: Condition	
School Sets	Mks/T-One/Console 2	As New	Well Used
Scubapro	<2 Years	35K	31K
Scubapro	3-4 Years	29K	25K
Scubapro	5+ Years	24K	20K

### \* SCUBAPRO LIFETIME WARRANTY

Only SCUBAPRO regulators and select fin models are covered by a lifetime worldwide warranty to the owner, provided they have been purchased through an Authorized Dealer.

Regarding regulators, they must be serviced every 24 months or 100 dives (whichever comes first) by an Authorized Dealer, using original SCUBAPRO spare parts, in order to maintain the lifetime warranty.





### SCUBAPRO Technician - Level 1 for beginners/instructors

Learn how to service Dive Centre equipment which includes Non-Balanced regulator systems such as the MK2/R-Series and BPI (BCD inflator)

### SCUBAPRO Technician - Level 2 for experienced technicians

Content: Balanced systems, MK25, MK11/17, S600, A700, Air2

The program covers the theory and mechanical operation of Scubapro dive equipment, including related dive physics, repair, test and service skills and procedures.

**Prerequisites:**                      **Level 1**                      Dive Instructor or Service Technician  
   **Level 2**                      Certified Scubapro Level 1 Technician

**Language:**                              **English**

**Location of Training:**              Anywhere in India

**Duration:**                              Dependent on Dates requested: 1.5 days each

**Certificate:** Upon successful completion of the program, participants will receive a SCUBAPRO certificate authorizing them to perform technical servicing on SCUBAPRO equipment covered during the training (MK2/R295, BPI) and/or (MK25, MK11/17, S600, A700, Air2) under the supervision of an authorized SCUBAPRO dealer.

**Training Material:** Participants will receive a full set of manuals and schematics from Proscuba.

**Tools:** All necessary and required tools will be supplied during the training sessions. We recommend that all participants purchase / own at least one set of the listed tools before servicing any equipment



### BAUER Compressor Technician Level-1 & Level-2



1. **Operators of BAUER** high-pressure compressors with applications in breathing air / industrial settings and all other unit operators, who want to detect and repair break downs independently, e.g. equipment operators of fire fighters, diveclubs, pressure chambers, industrial clients. This course is among others a requirement for the diving instructor exam.

2. **Troubleshooting** on especially prepared units / Professional trouble analysis and repair / Introduction into the electrical control systems of B-CONTROL generation / Purification systems / Air and gas analysing system / Unit installation regulations / Discussion of specific customer problems / High pressure regulation acc. local regulations.

#### 3 Theoretical part:

Basic mechanical theory & troubleshooting / Basic control system theory (electric/pneumatic) & troubleshooting / Purification systems / Gas drying systems / Basic units/parts nomenclature / Parts ordering procedures / Warranty policies / procedures

#### 4. Practical part:

Reassembling, verification, assembling and test run of breathing air compressor blocks (K12.14-114) / Electrical equipment / High pressure regulations acc. to European 3rd parties

**Language:** English

**Location of Training:** Level 1 - Anywhere in India / Level 2 - only in Puducherry

**Duration:** Level - 1: 2 days / Level - 2: 4 days


**Certificate:** A genuine factory certificate of completion from BAUER, will be awarded upon completion of the course (validity 2 years).

**Training Material:** Participants will receive a full set of BAUER manuals and schematics from Proscuba.

**Tools:** All necessary and required tools will be supplied during the training sessions. We recommend that all participants purchase / own at least one set of the listed tools before servicing any equipment







Po.	P/N	DESCRIPTION
1	10721211	INLET PROTECT. DIN
	10721212	INLET PROTECT. INT
2	01060219	WASHER
3	10713008	YOKE SCREW
4	10721157	YOKE
5	01073101	RETAINER
6	01028109	FILTER
7	10103115	YOKE RET. UNIV.
8	10063021	SADDLE
9	01050428	O-RING
10	10400124	FILTER RET. 300 bar
11	01020700	SPRING
12	10400126	KNOB RET.300 bar
13	10713122	KNOB 300 bar
14	01050347	O-RING
15	10063101	BODY
16	10101139	PLUG HP
17	01050138	O-RING
18	10101104	PLUG L.P.
19	01050132	O-RING
20	10063106	SLEEVE
21	01020225	SPRING
22	01050126	O-RING
23	10102103	SEAT
24	10063102	PISTON
25	01050181	O-RING
26	10063109	CAP
27	10063022	CAP, SOFT
28	01050158	O-RING
29	10063103	BUSHING
30	10700403	SLEEVE
31	10063104	ORIFICE
32	01006042	DECAL
33	01050422	O-RING

< > Torque N·m  $\pm 2$   
 [ ] Torque lb·in  $\pm 18$   
 ◇ Periodical replacement  
 \*\* DIN

MK2 EVO

CAT. NO. 10-063-X00

CONFIG.

DATE 07/2014

Prepared by  
*R. Patrone*

CHECKED

1 / 1

- 4 & 6 mm Allen Key
- 14 mm Spanner
- Standard LP & HP hose wrenches
- Pencil with rubber end
- Schematics and Manuals (DVD)
- Test panel with ip gauge
- Cleaning equipment

40-978-000 - Blow Gun

41-047-000 - Christolube

43-040-000 - Multi tool

43-040-009 - 6mm drive extension

43-191-107 - 1" yoke socket

43-300-107 - Double hook o-ring pick

43-300-017 - Brass pick set

43-300-127 - Field Vice

43-300-210 - Mk2 seat extractor

43-300-998 - Torque Wrench 5-35 Nm

Po.	P/N	DESCRIPTION
1	11700010	PROT. SLEEVE BLACK
2	01060132	O-RING
3	01309035	L.P. HOSE cm.75
4	01310034	L.P. HOSE cm. 100
5	01075132	PIN, CASE
6	11500109	ORIFICE
7	11190219	BODY, VALVE
8	01060160	O-RING
9	11250103	EX-HAUST VALVE
10	11600007	COVER, EXHAUST
11	11190106	PIN,COVER EXHAUST
12	01040141	MOUTHPIECE
13	01040131	MOUTHPIECE
14	01040120	MOUTHPIECE
15	01040028	CLIP LIGHT
16	01006095	DECAL
17	11380021	CASE
18	01060126	O-RING
19	11290011	FLOW VANE
20	11380022	FLOW REDUCER
21	11190104	PLUG
22	11601005	DIAPHRAGM ASSY
23	11500035	WASHER
24	11330036	COVER
25	11330034	COVER YELLOW
26	11500037	RETAINING RING
27	11300003	POPPET ASSY
28	11300028	STEM
29	11108101	SEAT
30	11300027	POPPET
31	01020216	SPRING
32	11330106	HOUSING
33	11300037	PLUG,HOUSING
34	21080121	INSERT, HOUSING
35	11393118	LEVER
36	01060108	WASHER
37	01122101	NUT
38	11190217	WASHER
39	11765120	NUT, JAM
40	11600050	RING
41	01060347	O-RING
42	11601012	DIAPHRAGM
43	11601128	DISC
44	11390040	SLEEVE HOSE

<> Torque N·m  $\pm 2$   
+2  
-0

[ ] Torque lb·in  $\pm 18$   
+18  
-0

⬠ Periodical replacement

● Octopus version

\* Optional

R 095 2nd STAGE / OCTOPUS

CAT. NO. 11-330-500 / 11-330-200 (●)

CONFIG.

DATE 11 / 2012

1 / 1

REV.

CHECKED

40-978-000 - Blow Gun

41-047-000 - Christolube

43-300-235 Metal LP hose Wrench

43-404-001P Magnehelic mouthpiece

43-040-000 - Multi tool

41-043-000 Second stage adjustment tool  
(note LP gauge is no longer included)

43-300-225 flow vane removal tool

43-300-107 - o-ring pick


43-300-017 - Brass pick set

43-300-101 Slider tool

43-300-228 Old cover tool

43-403-000 Cover Tool

- 1/4 inch driver
- 12 mm Spanner
- Magnehelic
- Schematics and Manuals (DVD)
- Test panel with ip gauge
- Cleaning equipment



## Notes

- O ring Pick
- Brass Pick
- 12-14 Spanner
- Screwdriver
- 5,5 x 60 Nut Driver
- Slider Tool

---

---

---

---

---

---

---

---

## UNIVERSAL TOOL, for Scubapro Regulators [P/N 43.040.000]

Warning: this is an emergency tool to be used by an authorized SCUBAPRO technician only, or by a trained individual when strictly following the assembling/dismantling procedure and limits (torque, etc).

This tool performs thirteen different functions:

1. Removes low pressure [P/N 01 .3xx.0xx] hose/housing nut [P/N 11.755.120].
2. Adjusts spring retainers MK17/MK16/MK18 [P/N 10.705.114], MK18 U.L. [P/N 10.755.114], removes MK17 balance chamber [P/N 10.117.102] 81 removes current tank valve DIN/INT adapter [P/N 14.029.104].
3. Removes all first stage caps & rings [MK25's, MK18's, MK16, MK2, MK 15/20, MK14, MK10].
4. Removes MK14 balance chamber [P/N 10.705.102]
5. Removes X650&#39;s. S600's, S550, R390, R380, D400. G500 case ring and R290 case cover.
6. Removes D400 retainer [P/N 11.011.117], MK15 seat retainer [P/N 10.600.106].
7. Adjusts second stage orifice [P/N 11.500109]. Removes old DIN/INT tank valve adapter and MK20/U.L. seat retainers [PIN 10.700.102 & 10.715.102]
8. Removes R390, R290R, R380, R190 plug [P/N 11.190.104].

9. Removes seat retainers MK10/MK10 Plus [P/N 10.101.106, 10.101.162]. and D400 cap [P/N 11.011.126].
10. Removes G250, G200, R190, M50 covers [P/N 11.250.222, 11.200.101, 11.300.038, 11.370.029].
11. Removes S600&#39;s ring/frame assy [P/N 11.600.040, 11.610.040].
12. Removes high and low pressure port plugs [P/N 10.101.139, 10.760.139, 10.770.104 & 10.101.104, 10.715.104, 10.760.104, 10.770.103] and adjusts MK25's seat adjust. screw [PIN 01.102.104].
13. Adjusts the R290 flow vane [P/N 11.290.011].

Note – The handle [H] protects your hand from the pins, when this section of

the tool is not used: to insert it proceed as shown in fig. 2.

For replacement pins, screws and hex. Contact your ScubaPro dealer.





Fig. 2





# DIVE CENTRE SOLUTIONS



## PROSCUBA 2020

For over 20 years the team behind Proscuba have been working with small business owners to help them harness the power of targeted, local marketing. After joining the scuba diving industry in India around 15 years ago we have been working with members of the dive industry in all aspects of equipment supply, instructor training, online marketing, media and communications plus establishment of retail spaces and gas filling stations.

Operating through a number of online and offline platforms for the past 10 years the decision was made in September 2014 to bring all of our skills and knowledge to the masses. Your window into the wide range of service advice, marketing, media, communications and IT solutions which we provide exclusively for the scuba diving industry.



Working with diving centres, diving instructors and diving equipment manufacturers, our wide range of tools help you achieve more website visitors, more product or service visibility and ultimately - more customers! If you have any questions about any of the services you find on the Proscuba website please do not hesitate to contact us and one of our team will be happy to help you.

As a dive center owner you are busy, all day, every day. You need to run a business, organise instructors, do accounting, order materials and equipment, make schedules etc.







Proscuba are an experienced team in the many fields of operating dive centers. We aided many start-ups nation and worldwide, implemented CRM systems and optimized courses and dive trips. We have the links to the right people, in order to help your business grow. This brings you back to where you all got into diving for: actually diving yourself.

We offer the following services

- Dive Course optimization
- Dive Trip optimization
- Implementing CRM and POS systems
- Upgrading your dive center guest service
- Instructor Development Courses
- Assist in start-ups for new Dive Centers
- Assist in selling or buying a Dive Center
- Hiring staff such as Dive Masters and Instructors

Proscuba caters for the recreational and technical dive users across India, aiding supply of all the gases needed for your diving operation, which are then analysed to our own rigorous quality control standards. All diving related gases are available to the recreational and technical market

**\* Contact us for Authorised  
SCUBAPRO SEA Centre,  
Dealership and Loyalty  
Options**



## Spot your closest SCUBAPRO Dealer, SEA and Service Centre



Remember to buy or service your gear regularly at an  
Authorised SCUBAPRO Dealer or Service Centre





**PROSCUBA**

FOLLOW US ON



@scubaproindia  
fb.com/proscuba  
@scubaproindia

www.proscuba.in | sales@proscuba.in  
+91 413 2357850 | +91 739 7774541

